



HAL
open science

Current methods to monitor microalgae-nanoparticle interaction and associated effects

Maureen Déniel, Nicolas Errien, Philippe Daniel, Aurore Caruso, Fabienne Lagarde

► To cite this version:

Maureen Déniel, Nicolas Errien, Philippe Daniel, Aurore Caruso, Fabienne Lagarde. Current methods to monitor microalgae-nanoparticle interaction and associated effects. *Aquatic Toxicology*, 2019, pp.105311. 10.1016/j.aquatox.2019.105311 . hal-02318758

HAL Id: hal-02318758

<https://univ-lemans.hal.science/hal-02318758v1>

Submitted on 21 Dec 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

1

2

Current methods to monitor microalgae-nanoparticle

3

interaction and associated effects

4 Authors: Maureen Déniel¹, Nicolas Errien¹, Philippe Daniel¹, Aurore Caruso², Fabienne

5 Lagarde^{1*}

6 ¹ Le Mans Université, IMMM UMR-CNRS 6283, Avenue Olivier Messiaen, 72085 Le Mans

7 Cedex 9, France

8 ² Laboratoire Mer, Molécules, Santé, EA 2160, Avenue Olivier Messiaen, 72085 Le Mans

9 Cedex 9, France

10 maureen.deniel@univ-lemans.fr ; nicolas.errien@univ-lemans.fr ; aurore.caruso@univ-

11 lemans.fr ; philippe.daniel@univ-lemans.fr

12 * Corresponding author: fabienne.lagarde@univ-lemans.fr, Le Mans Université, IMMM

13 UMR-CNRS 6283, Avenue Olivier Messiaen, 72085 Le Mans Cedex 9, France

14 This work was supported by the Conseil départemental de la Sarthe and Le Mans Métropole

15 and by ANR CESA (ANR-15-CE34-0006-02, NANOPLASTICS project).

16

17 Colour for figures only in online version.

18 Declaration of interest: no

19 Abstract

20 Widespread use of nanoparticles for different applications has diffused their presence in the

21 environment, particularly in water. Many studies have been conducted to evaluate their effects

22 on aquatic organisms. Microalgae are at the base of aquatic trophic chains. These organisms

23 which can be benthic or pelagic, meaning that they can enter into interaction with all kinds of

24 particulate materials whatever their density, and constitute an interesting model study. The
25 purpose of this review was to gather more than sixty studies on microalgae exposure to the
26 different nanoparticles that may be present in the aquatic environment. After a brief
27 description of each type of nanoparticle (metals, silica and plastic) commonly used in
28 ecotoxicological studies, techniques to monitor their properties are presented. Then, different
29 effects on microalgae resulting from interaction with nanoparticles are described as well as
30 the parameters and techniques for monitoring them. The impacts described in the literature are
31 primarily shading, ions release, oxidative stress, adsorption, absorption and disruption of
32 microalgae barriers. Several parameters are proposed to monitor effects such as growth,
33 photosynthesis, membrane integrity, biochemical composition variations and gene expression
34 changes. Finally, in the literature, while different impacts of nanoparticles on microalgae have
35 been described, there is no consensus on evidence of nanomaterial toxicity with regard to
36 microalgae. A parallel comparison of different nanoparticle types appears essential in order to
37 prioritize which factors exert the most influence on toxicity in microalgae cultures: size,
38 nature, surface chemistry, concentration or interaction time.

39

40 Keywords: microalgae; toxicity; nanoparticles; characterization; interaction

41 **1. Introduction**

42 At the nanoscale, materials have properties such as electrical and thermal specific
43 conductivity, which make them interesting to develop novel applications. Nanomaterials are
44 defined by European Union commission (2011) as natural or manufactured materials formed
45 by at least 50% of particles with dimensions comprised between 1 and 100 nm. But this
46 definition is not admitted by all organizations (ISO, USA legislation...) (Jeevanandam et al.
47 2018). Nanoparticles (NPs) are part of the nanomaterial family and the British Standard
48 institution (2011) define them as materials possessing three external nanoscale dimensions.

49 For the last two decades, they have been used in a large panel of industrial applications
50 leading to their presence in the aquatic environment, which raises concern about their
51 environmental impact (Moore 2006). Their marked presence in the environment has led to
52 awareness and significant research efforts have been devoted to understanding their potential
53 toxicity on aquatic organisms at the species and cellular levels, as well as the underlying
54 mechanisms. Microalgae are very common organisms present in all aquatic systems and at the
55 lowest level of the trophic chain. Knowledge of their potential interactions with NPs is very
56 sparse and difficult to compare, mostly due to the fact that tracking NPs in a medium as
57 complex as the aquatic environment is still very challenging (Selck et al. 2016). Recent
58 reviews on nanomaterials and the methods to assess their ecotoxicity to marine life, are
59 already present in literature (Handy et al. 2012; Selck et al. 2016) highlighting the challenges
60 and research priorities in this field. To be more specific, the present review synthesizes
61 literature focusing on microalgae and NP interactions in view of analyzing the potential
62 toxicity and impacts of NPs on microalgae. The study of such interaction relies on proper
63 characterization of both NPs and microalgae in order to evaluate their changes during
64 interaction and to improve our understanding of the interaction pathways. The usual strategies

65 allowing access to such information are presented here together with novel techniques
66 providing new insights into nanomaterial-organism interactions.

67 In the first part, nanoparticle types, applications and properties are presented to highlight
68 the diversity of these materials. Secondly, different effects arising from interaction with
69 microalgae are described as well as parameters and techniques for monitoring them. Finally,
70 the chemistry of nanoparticles is studied so as to determine whether this property has an
71 impact on interactions.

72 **2. NPs types, applications and properties**

73 The generic term of NP encompasses a wide variety of particles with different natures,
74 origins (natural vs engineered) and applications. Man-made NPs are most often referred to as
75 metallic nanoparticles, and mineral and organic NP are also used for a wide range of
76 applications such as electronics, medicine, cosmetics, packaging, remediation (López-Serrano
77 et al. 2014). As the use of engineered nanomaterials has globally increased in recent years
78 (Lapresta-Fernández et al. 2012), they may leach from engineered products because of their
79 small size, pass through most depuration systems and unintentionally enter the aquatic
80 environment.

81 **2.1. Types and applications**

82 **2.1.1. Metals and oxides**

83 Among the first NPs to be synthesized, NPs in noble metals as silver and gold, are now
84 widely commercialized. Table 1 presents the principal characteristics of the kind of
85 nanoparticles used in ecotoxicological studies. Gold NPs are used not only in the medical
86 field and in molecular biology (Lapresta-Fernández et al. 2012) but also in paints and
87 electronic components (Renault et al. 2008). Silver nanoparticles are employed primarily as

88 antimicrobial agents in the medical field, in textiles and in cosmetic products (Zhang et al.
89 2015). Platinum NPs are also used in biomedicine applications, automotive exhaust converters
90 and as electrochemical sensors (Ksiazek et al. 2015). With their catalytic, magnetic and
91 electrical properties, cobalt NPs are used in magnetic fluids and in the biomedical field
92 (Ansari et al. 2017).

93 Metallic oxide NPs represent a second kind of metallic nanomaterial (Table 2). Copper
94 oxide (CuO) is exploited in antifouling paints for its antimicrobial properties (Almeida et al.
95 2007; Sandberg et al. 2007). Likewise, studies have focused on cerium oxide NPs as
96 antibacterial products, catalysts and for their use in pharmaceutical drugs (Trovarelli et al.
97 1999; Celardo et al. 2011). Nickel oxide NPs are frequently used in industry as catalysts for
98 alkaline battery cathodes, electrochromic and magnetic materials or as pigments for ceramics
99 and glass (Gong et al. 2011; Oukarroum et al. 2017). Zinc and titanium oxide NPs are
100 photoreactive. Their utilization as bleaching agents, photocatalysts and transparent agents
101 renders titanium oxide (TiO₂) NPs one of the most produced in the world (Wang et al. 2008;
102 Robichaud et al. 2009). TiO₂ NPs are also widely used in drug delivery, health and in plastic
103 products (Vance et al. 2015). Zinc oxide (ZnO) is a molecule with a high capacity to absorb
104 UV radiations, a property that is used in solar creams, cosmetics and paints (Osmond and
105 McCall 2010; Suman et al. 2015). These ZnO NPs have additional antibacterial properties that
106 explain their presence in toothpaste and textiles (Lee and An 2013; Yung et al. 2017).

107 Some other metal oxides under nanoparticle forms such as lanthane, aluminium and iron
108 have been less frequently studied. Fuel cell construction, magnetic data storage, biomedicine
109 and sewage treatment are applications of lanthane oxide (La₂O₃) NPs (Balusamy et al. 2015).
110 Aluminium oxide nanoparticle applications (Al₂O₃) are linked to polymer modification and
111 hot fluid transfer (Pakrashi et al. 2013). Iron NPs with zero valence (ZVI) are used mostly in

112 environmental restoration, the food industry and medical diagnosis (Kadar et al. 2012;
113 Adeleye and Keller 2016).

114 **2.1.2. Silica (SiO₂)**

115 Silica, the main component in the mass of continental crust, can naturally be found as NPs
116 in oceans (Fujiwara et al. 2008). Indeed, it can possess a crystalline or an amorphous form.
117 Crystalline silica is found in the manufacturing industry, mines and is known to be highly
118 toxic by inhalation (silicose, INRS data). Silica NPs (< 100nm) are used in various domains
119 such as cosmetics, anti-caking agents (E551) in food products (Athinarayanan et al. 2014).
120 The OECD has requested amorphous silica NPs as a NP reference in risk and toxicity
121 measurement for nanomaterial evaluation (Aruoja et al. 2015).

122 **2.1.3. Plastics**

123 Particles of plastic are present in the environment and were identified in the 1970s; they
124 form an emerging issue. More specifically, the smallest ones called nanoplastics (whose
125 presence was recently described) (Ter Halle et al. 2017) were considered as being very toxic
126 to *Scenedesmus obliquus* and *Daphnia magna* (Besseling et al. 2014). Tested concentrations
127 in this study are nevertheless higher than environmental concentrations. Nanoplastics have
128 been defined as particles originating from the degradation of larger plastic debris having
129 accumulated for several decades in the aquatic environment. Besides these fragmented
130 particles, polymeric nanobeads (used in several industries) may also enter the aquatic habitat.
131 Such nanobeads, also named polymer colloids, are widely used as material strengtheners, in
132 medical activities (antimicrobial properties, drug delivery...) and in cosmetics products
133 (Daniel and Astruc 2004; Salata 2004; Aitken et al. 2006; Besseling et al. 2014; Nolte et al.
134 2016). Lastly, polymeric fibers originating from clothes washing have also been detected as
135 they entered the aquatic environment (Falco et al. 2017) through wastewater treatment plants.

136 Due to the high quantities of plastics entering the aquatic environment each year, around 1.7
137 kg/day/inhabitant (Jambeck et al. 2015), the potential accumulation of these newly identified
138 nanomaterials is of concern, but their concentration in the environment has yet to be reliably
139 measured. Seven major types of polymers have been identified in the aquatic environment.
140 Nonetheless, in interaction and impact studies, polystyrene is overrepresented (Phuong et al.
141 2016) due to its commercial availability at diverse sizes (from nano to micro size beads) with
142 different surface charges: neutral, anionic and cationic (Long et al. 2015; Libralato et al.
143 2017). Some studies have focused on other polymers as PVC, PE and PP but only on a micro
144 scale (Lagarde et al., 2016; Davarpanah et al., 2015; Zhang et al., 2016). Concerning
145 nanoplastics, only the impacts of polystyrene NPs on microalgae have been studied so far
146 (Table 3).

147

148 **2.2. NPs properties**

149 Some properties such as their size are common to all NPs but many other properties
150 differ, so it is important to characterize them (Handy et al. 2012) using as these properties
151 may strongly modify NPs behavior in contact with aquatic organisms. Among a variety of
152 emerging approaches to characterize nanomaterials in ecotoxicological tests (Selck et al.,
153 2016), the techniques described below help to assess changes in the structure and morphology
154 of NPs before or after interactions with microalgae.

155 **2.2.1. Nature, shape and size**

156 The chemical nature of NPs can be determined by Energy Dispersive X-ray spectroscopy
157 (EDX) SEM or by induced coupled plasma-mass spectrometry (ICP-MS) in most cases
158 (excluding plastics), this latter being an emerging tool to also provide size distribution (Selck
159 et al., 2016).

160 X-ray techniques can offer information on crystalline phase and crystallization type. Sadiq
161 et al. (2011) used X-ray diffraction (XRD) on TiO₂ NPs to identify an anatase phase size of
162 17 nm. Surface chemistry characterization of cerium oxides was also performed by X-rays to
163 determine Ce³⁺/Ce⁴⁺ ratio (Pulido-Reyes et al. 2015). XRD was used to follow the valence
164 state of nickel NPs (Gong et al. 2011). In the same study, X-ray photoelectronic spectroscopy
165 (XPS) was used to assess nickel bioreduction and Ni²⁺/Ni⁰ ratio. Analysis of EDX, often
166 associated with SEM or TEM, may identify elements in nanoparticle agglomerates. By this
167 technique, the presence of metal oxide NPs translocated into cells can be confirmed
168 (Oukarroum et al. 2017 for nickel oxide and copper oxide nature in Perreault et al. 2012).
169 Moreover, TEM is also an interesting technique in so far as it can also be used for
170 morphologic and crystallographic characterization of NPs (Barwal et al. 2011).

171 Most studies check to see if the size of NPs after interaction remains the same using
172 different methods among which DLS (Dynamic Light Scattering) predominates (Van Hoecke
173 et al. 2008; Wang et al. 2008; Hartmann et al. 2010; Casado et al. 2013; Pakrashi et al. 2013;
174 Nolte et al. 2016; Adeleye et al. 2016; Iswarya et al. 2016; Bergami et al. 2017; Yue et al.
175 2017; Chen et al. 2018). This non-invasive technique allows characterization of particles in
176 solution by measuring the distribution of their hydrodynamic radius. After interaction of a
177 light beam with particles, Brownian particle motion generates light scattering at different
178 intensities. Light intensity variation is measured and NP diameter is obtained using the
179 Stokes-Einstein relation. DLS is appropriate if the NP size is comprised between 0.5 nm and
180 10.0 μm. This method also evaluates NP aggregation. In their study, Wang et al. (2008)
181 monitored the impact of interaction on TiO₂ NP size (21 nm). Their observations demonstrate
182 particle agglomeration forming objects of around 900 nm in the culture medium of *C.*
183 *reinhardtii*, thereby modifying NP properties (i.e. specific surface reduction).

184 Image analysis in microscopy is also used to assess the size distribution of NPs: Leclerc
185 and Wilkinson used transmission electron microscopy (TEM) image analysis on silver NPs,
186 Pulido-Reyes on cerium oxide NP and Aruoja in a comparative study of nanometals (Leclerc
187 and Wilkinson 2014; Aruoja et al. 2015; Pulido-Reyes et al. 2015) to determine the size
188 distribution of particles after interaction. In addition, size measurement comparison by TEM
189 and DLS was performed for silica NPs in interaction with *P. subcapitata*, by Van Hoecke et
190 al. (2008). Their results indicated a difference in measured sizes between the two techniques.
191 They considered DLS more reliable due to a higher analysed volume and to the fact that NPs
192 can be analyzed in their solution, which is a major advantage of this technique.

193 UV-Visible spectrometry is another technique used to study particle stability in the
194 medium. Peak absorption measurement can be characteristic and give access to information
195 such as the concentration or size of the NPs (Haiss et al. 2007). For example, Renault et al.
196 (2008) monitored the concentration of 10 nm NPs absorbing at a 520 nm wavelength in the
197 culture medium and observed a decrease of gold NP concentration in Arcachon's water
198 compared to ultrapure water. Bhattacharya et al., (2010) also suggested that NP adsorbed on
199 microalgae cell walls could be quantified by UV-visible spectrometry. Light absorption
200 measurements directly performed in the growth medium at 260 nm corresponding to a higher
201 absorbance band of polystyrene facilitated quantification of the concentration of polystyrene
202 NP in the medium.

203 **2.2.2. Surface chemistry and charge density**

204 Zeta potential measurements provide information, by electrophoretic mobility
205 measurements, on the charge density of particles and medium viscosity. . Many of surveys
206 monitoring charge have provided elements on the nature of interaction and ionic forces
207 (Bhattacharya et al. 2010; Hartmann et al. 2010; Saison et al. 2010; Perreault et al. 2012;

208 Casado et al. 2013; Lee and An 2013; Manier et al. 2013; Pakrashi et al. 2013; von Moos and
209 Slaveykova 2014; Cheloni et al. 2016; Nolte et al. 2016; Adeleye et al. 2016; Bergami et al.
210 2017; Sendra et al. 2017a). These works have strongly contributed to the understanding of
211 particle stability as recommended by Handy et al. (2012). For example, when studying their
212 stability within a complex medium, Bhattacharya et al., (2010) showed a difference of
213 aggregation behavior in NPs of the same chemical nature but with two different surfactants.
214 This point is very important since many NPs are synthesized with different molecules coated
215 on their surface through which they are stabilized in suspension or given specific properties
216 (cf. Tables 1, 2 and 3).

217 **2.2.3. Dissolved fraction**

218 Eventually, some NPs in solution can undergo ageing in time and may release ions or
219 molecules. Then, it becomes necessary to quantify the dissolved fraction in the medium. In
220 the case of metallic particles, ICP-MS has been extensively used to this purpose: for dissolved
221 nanocopper (Cheloni et al. 2016) or for platinum and silver NPs (Ksiazek et al. 2015; Navarro
222 et al. 2015; Yue et al. 2017). This technique has also been used to track nickel oxide
223 nanoparticle solubility and to quantify bioabsorption rates in cells (Gong et al. 2011).

224

225 **3. Microalgae's role and defence strategies in aquatic systems**

226 Microalgae are microscopic autotrophic organisms, living in unicellular form or forming
227 colonies, at the base of all aquatic trophic webs. The share of primary production due to
228 oceanic phytoplankton has been estimated at between 40% and 50% of net primary
229 production (NPP) (MacIntyre et al. 2000; Geider et al. 2001). In settling, they confine the
230 carbon of carbon dioxide (Bowler et al. 2009) at the bottom of oceans. Microalgae, which are

231 present in fresh and sea-water ecosystems, can be divided into two groups. Benthic
232 microalgae are based on aquatic bottoms, while pelagic microalgae are found in the water
233 column and form phytoplankton with cyanophytes, meaning that they can interact with all
234 kinds of particulate materials whatever their density.

235 Many ecotoxicology studies at the physico-chemistry, molecular biology or biochemistry
236 levels, use microalgae - including green and brown - as models for experimentation. These
237 unicellular organisms can be strongly impacted by various pollutions. The position of primary
238 producers implies that there will be transfers along the trophic chain affecting the organisms
239 consuming them. Consumers can be directly affected by a lack of food - microalgae do not
240 support pollution - or indirectly, by accumulating more and more pollutants via their food
241 (Cedervall et al. 2012; Besseling et al. 2014). However, it has also been shown that
242 microalgae can set up systems of responses to these pollutants allowing them to defend
243 themselves or adapt. These responses can be observed at different levels:

244 *morphological responses, with modifications in size and shape as a result of contact
245 with metals (Jamers et al. 2009).

246 *biochemical responses, such as phytochelatins, polypeptides which are able to
247 confine metals, are synthesized in *C. reinhardtii* with a post-translational enzymatic pathway
248 to evacuate TME from the cells (Howe and Merchant 1992).

249 *molecular responses, such as induction of gene over-expression encoding thioredoxin
250 (cadmium chelation) and glutathione peroxidase (H_2O_2 transformation in H_2O) in *C.*
251 *reinhardtii* in the presence of cadmium ($115\mu M$) to limit damages due to oxidative stress
252 (Jamers et al. 2013).

253 The defence systems of microalgae against metals have been described in the literature.
254 Are they adapted as protection mechanisms against NPs? Methods of interactions are

255 presented in the following section to characterize the response of microalgae in the presence
256 of NPs.

257

258 **4. How to highlight microalgae/NP interactions and associated impacts?**

259 **4.1. Direct interactions visualization: microscopy at different scales**

260 Several techniques of microscopy visualize of interactions between NPs and microalgae
261 (Figure 1) at different scales down to the nanometer range. First, scanning electronic
262 microscopy (SEM) screens elements up to a hundred nanometers by collecting reflection
263 secondary electrons of a sample after excitation by a laser beam. Coupling a X-ray detector
264 with SEM gives the advantage of providing information on the nature of the detected element.
265 For example, Barwal used this type of detector to prove the presence of silver atoms inside *C.*
266 *reinhardtii* (Barwal et al. 2011).

267 Second, transmission electron microscopy (TEM) makes it possible to visualize very
268 small particles (until nanometer size) by transmitting electron detection. Despite its time-
269 consuming nature, this technique is regularly used for analysis of metallic NPs such analysis
270 as gold NPs (Schrand et al. 2010). Renault et al. (2008) have notably monitored the impact of
271 the distribution of nanomaterials in *Scenedesmus subspicatus*.

272 Following interaction with TiO₂ used confocal microscopy was used to visualize NPs
273 (primary size: 35.1 nm, secondary size: 3580 nm), after aggregation at the surface of *P.*
274 *subcapitata* (Metzler et al. 2011). Drawbacks of this technique compared to the others is that
275 only a visualization of nanomaterials agglomerates is possible due to a detection limit of a few
276 hundred nanometers (Röhder et al. 2014). Moreover, contrary to SEM and TEM, confocal
277 microscopy necessitates fluorophore probe with the risk of fluorophore release (Salvati et al.

278 2011). Other techniques are marginally used, such as dark field microscopy, which diffuses of
279 structures coupled with hyperspectral imaging. This was proposed by Leclerc and Wilkinson
280 (2014) in order to visualize internalization of silver particles. Atomic force microscopy
281 (AFM) is used to study the topographic surface of microalgae (Nolte et al. 2016). Recently,
282 Raman spectroscopy at 532 nm was proposed as a tool to study the localization of polystyrene
283 nanoparticles in human cells (Dorney et al. 2012). It is described as optimal in terms of signal
284 intensity and permits live cell analysis; Ivask et al. (2017) have suggested that it could also be
285 used in microalgae-nanoparticle interaction studies. Surface-Enhanced Raman Spectroscopy
286 or SERS, has been used on *Pseudokirchneriella subcapitata* to detect gold NP biosynthesis
287 (Lahr and Vikesland 2014). The resonance of gold NPs in the SERS technique enhances the
288 Raman signal of living cells, with high resolution and decreased signal collection times,
289 permitting non-destructive measurements (Kneipp et al. 2002).





Figure 1: Characterization methods of microalgae-NP interactions: NP properties, detection of NP/microalgae interactions and effects on microalgae.

290

291 **4.2. Monitoring effects of interactions**

292 Several kinds of interaction between microalgae and NPs are possible. They are
 293 summarized in Figure 2: shading, ion release, adsorption, absorption and cell-wall disruption.
 294 NP-microalgae interactions may involve changes in microalgae state (physiological,
 295 biochemical and molecular). To characterize these impacts, several approaches are necessary
 296 and have been presented in the literature. They have been partially collected and are
 297 commented on here (Tables S1, S2 and S3 given in supplementary data summarize all the
 298 cited studies).



299

Figure 2: NPs potential interactions with barriers of microalgae (cell-wall and plasmic membrane): ion release (absorption through ionic channel), shading effect, adsorption (block ionic exchange) and absorption by pore pathway, cell-wall disruption or endocytosis.

300

4.2.1. Growth of microalgae

301 All type of interactions can impact microalgae growth, which is the most commonly
302 monitored parameter. Measurement of microalgae growth is done mainly by cell count
303 (Renault et al. 2008; Wang et al. 2008; Hartmann et al. 2010; Lee and An 2013; Aruoja et al.
304 2015; Ksiazzyk et al. 2015; Sjollem et al. 2016; Zhang et al. 2016; Bergami et al. 2017;
305 Dauda et al. 2017; Oukarroum et al. 2017). Other studies evaluate the health of microalgae by
306 measuring cellular density and chlorophyll fluorescence by flow cytometry (Manier et al.
307 2013; Melegari et al. 2013; von Moos et al. 2015; Cheloni et al. 2016; M. Sendra et al.
308 2017a). Morphometry, which is the study and analysis of geometry (3D), is also used to
309 follow microalgae morphological variations after interaction with copper NPs (von Moos et
310 al. 2015).

311 Several studies have shown an inhibition of growth in *P. subcapitata* in contact with ZnO
312 and TiO₂ NPs (Lee et al. 2013) as well as for silver and platinum NPs (Ksiazzyk et al. 2015).

313 At a morphological level, cell dimension alterations have been examined after AgNO₃ NP
314 (*Chlorella autotrophica*) and gold NP (*S. subspicatus*) exposure for concentrations of 5 mg/L
315 and 1,6x10⁻⁶ mg/L (Renault et al. 2008; Sendra et al. 2017b). Moreover, modification of
316 cellular complexity (granularity) obtained through a measure of scattered light (Side Scatter,
317 SSC) by flux cytometry, is also observed for Ag and Ce NP at 24 h (Sendra et al. 2017b).
318 According to Saison et al. (2010), cerium oxide NPs increase microalgae granularity and
319 cause aggregation phenomena, which may be accompanied by cellular coloration loss, as in
320 *Chlorella kessleri* in the presence of silica NPs (5 nm) (Fujiwara et al. 2008).

321 **4.2.2. Shading**

322 The reduction of captured light, called shading phenomena, was described by Schwab et
323 al. (2011) and Cheloni et al. (2016) who showed a correlation between photosynthesis
324 inhibition and shading linked with carbon and oxide copper NPs. Chen et al. (2018)

325 demonstrated a correlation between growth inhibition and shading linked with carbon, oxide
326 copper and cobalt NPs) on three microalgae species *Platymonas subcordiforus*, *Chaetoceros*
327 *curvisetus* and *Skeletonema costatum* (Chen et al. 2018). Nevertheless, few studies have taken
328 into account, much less underlined this effect.

329 Moreover, photosynthesis, a key mechanism of algae functioning, has frequently been
330 explored in interactions (Navarro et al. 2008a; Bhattacharya et al. 2010; Zhang et al. 2016) such
331 as the analysis of photosystem II photoinhibition (Saison et al. 2010). Photocatalytic capacity
332 has also been monitored through the quantification of chlorophyll a (Besseling et al. 2014), a
333 pigment found in all microalgae. Extraction of chlorophyll a and quantification by
334 spectrophotometry technic are easy to set up and not expensive but can overestimate
335 chlorophyll content (Sartory 1985; Hosikian et al. 2010). During photosynthesis, CO₂ and
336 water are captured and transformed into sugar and O₂ under light effect. Monitoring CO₂
337 reduction elucidate the alteration of algal photosynthesis functioning and inform on a possible
338 cellular respiration phenomenon (Bhattacharya et al. 2010). It should be noted that the
339 photosynthetic system is sensitive to the presence of NPs as some researchers have observed a
340 drop in photosynthetic activity (von Moos et al. 2015). Photosynthesis can be impacted in two
341 different manners: (1) either indirectly by the reduction of captured light (2) or directly by
342 photoinhibition of photosystem II and photocatalysis (Navarro et al. 2008a). In *C. reinhardtii*
343 a photosystem II (PS II) photoinhibition mechanism has also been revealed in the presence of
344 cerium oxide NP covered by polystyrene (80 nm; 0,01 g/L), which led to chlorophyll
345 deterioration (Saison et al. 2010).

346 **4.2.3. Ion release**

347 NPs in solution can release ions and this is particularly frequent in the case of metallic
348 oxides NPs. Concerning silver NP studies (Table 5), most have reported internalisation in

349 different types of microalgae (*C. reinhardtii*, *C. vulgaris*, *S. obliquus* and *E. gracilis*) due to
350 the release of Ag⁺ ions and an agglomeration of ions inside the cell (Navarro et al. 2008b;
351 Barwal et al. 2011; Leclerc 2013; Ksiazzyk et al. 2015; Wang et al. 2016; Yue et al. 2017;
352 Zhang et al. 2017). Techniques for quantifying the dissolved fraction have previously been
353 described (§ 2.2.3).

354 Moreover, ion release can induce oxidative stress and photosynthesis effects on
355 microalgae as has been reported for copper oxide NPs (Saison et al. 2010; Perreault et al.
356 2012; von Moos et al. 2015). Some NPs such as ZnO and TiO₂ induce a photocatalysis
357 phenomenon in *P. subcapitata* (Lee et al. 2013) leading to reactive oxygen species (ROS)
358 formation taking part in secondary oxidative stress due to ion release.

359 Oxidative stress occurs more widely after every environmental modification (Pinto et al.
360 2003). Oxidation phenomenon is a frequently reported mechanism after contact with reactive
361 NPs such as oxides or dissolved particles in ions. Glutathione S transferase (GST) activity, an
362 enzyme implicated in xenobiotic detoxification and in reparation of oxidized macromolecules,
363 was studied by Dauda et al. (2017) in *C. vulgaris* after incubation with TiO₂ NP. Increased
364 enzymatic activity was observed indicating that a cellular defence against ROS had been
365 established (Dauda et al. 2017). In parallel, it was shown by (Leclerc and Wilkinson 2014)
366 that Ag⁺ ions salting-out by Ag NP induced ROS production responsible for Ag NP toxicity
367 on *C. reinhardtii*. In this species as well, increased ROS concentration coupled with lipidic
368 membrane peroxidation was brought to light in the presence of copper oxide at 1000 mg/L
369 (Melegari et al. 2013). A majority of studies use ROS quantification to monitor oxidative
370 stress in comparison with GST activity monitoring (Bhattacharya et al. 2010; Lee et al. 2013;
371 Leclerc and Wilkinson 2014, Tables 4, 5 and 6).

372 **4.2.4. Cell-wall and membrane effect**

373 ROS production can cause important cellular damages such as loss of membrane fluidity
374 and oxidation of unsaturated lipids...(Aruoja et al. 2015; Bhattacharya et al., 2010; Hartmann
375 et al. 2010; Lapresta-Fernández et al. 2012; Melegari et al. 2013 (by flow cytometry);
376 Pakrashi et al. 2013; Perreault et al. 2012; Pulido-Reyes et al. 2015; Röhder et al. 2014;
377 Saison et al. 2010; Sendra et al. 2017a). Several techniques are focused on the ROS
378 measurement: electron spin resonance (ESR) which is sparsely used but referenced in the
379 literature (Lapresta-Fernández et al. 2012), fluorescence detection of DCFH-DA (2,7-
380 dichlorodihydrofluorescein diacetate) (Saison et al. 2010; von Moos et al. 2015) and the
381 lipidic peroxidation test with malondialdehyde (MDA) (Wang et al. 2008).

382 Furthermore, changes can appear at a cellular membrane integrity level, which is followed
383 by the lactate dehydrogenase test, where an increase of cytolytic enzyme in the surrounding
384 medium reveals membrane damage (Pakrashi et al. 2013). Membrane integrity can also be
385 monitored by propidium iodide fluorophore, which intercalates in nucleic acid strands of cells
386 with damaged membranes (Prado et al. 2011; Xia et al. 2015). These alterations can also be
387 visualized by microscopy. Microalgae structural alterations, for example, can be observed
388 using TEM and have been viewed as a distortion of cell walls, resulting from the interaction
389 of *P. subcapitata* with zinc NPs (Lee and An 2013). Microscopy techniques such as AFM can
390 be used to measure the energy necessary to cell-wall disruption in *Tetraselmis suecica* (Lee et
391 al. 2013).

392 Cellular metabolism may be impacted as well. Melegari et al. (2013) demonstrated -for
393 example- decreased esterase activity in the presence of copper oxide. This marker is crucial
394 for phospholipid membrane metabolism in *C. reinhardtii* (Li et al. 2011).

395 The cell wall and the plasma membrane are cellular compartments that can be particularly
396 affected by the physical or biochemical impact of NPs, respectively. Studies on *C. vulgaris*

397 have shown membrane destructuration in the presence of nickel oxide (Gong et al. 2011) and
398 zinc oxide (Suman et al. 2015) NPs. Aluminium oxide NPs at 1 µg/mL leading to cell-wall
399 and membrane damage in *C. ellipsoidea* (Pakrashi et al. 2013). This study was performed by
400 microscopy and a lactate dehydrogenase (LDH) test providing information on membrane
401 integrity.

402 Indirect effects are also observed on physical barriers of microalgae. In this way,
403 photocatalysis induced by the presence of TiO₂ NPs generates peroxidation of functional
404 groups at the cell wall and membrane levels. Damage at the level of phospholipidic chains in
405 *C. reinhardtii* is revealed by infrared analysis and SEM (Chen et al. 2017). For the same NPs,
406 disruption of the cell wall was observed in *Nitzschia closterium* (Xia et al. 2015).

407 **4.2.5. Adsorption**

408 A key question raised by many researchers is whether or not these NPs should be
409 adsorbed or if an absorption phenomenon could happen that could lead to particle
410 internalization. NP localisation at the surface (adsorption) or inside cells (absorption) is
411 partially possible through microscopy techniques.

412 With SEM, Balusamy's study demonstrated the attachment of lanthane oxide (La₂O₃) NPs
413 on microalgae without producing morphological changes in *Chlorella sp.* (Balusamy et al.
414 2015). Contrarily, in the interaction of titane oxide NPs with *C. reinhardtii*, surface
415 morphological modifications due to the presence of NPs have been observed (Chen et al.
416 2017). Overlapping aspects could be revealed by SEM, as titane oxide NPs (TiO₂) appears,
417 covering *Pseudokirchneriella subcapitata* in several non-uniform layers (Metzler et al. 2011).

418 By TEM, cerium oxide NPs are detected at the surface but not inside *P. subcapitata*
419 (Pulido-Reyes et al. 2015). Furthermore, a method to observe NP adsorption could be
420 confocal microscopy. With AFM (topographic surface), Nolte et al. (2016) observed a cell

421 wall with fibrillar structure offering numerous attachment points for polystyrene nanobeads,
422 with preferential adsorption of PS-NH₂.

423 Propidium iodide used after interaction of zinc oxide NPs with *P. subcapitata* highlights
424 interaction of NPs with surface sites of the cell wall leads to formation of distorted
425 morphological features and the loss of membrane integrity (Suman et al. 2015).

426 Van Hoecke et al. (2008) investigated the adhesion of silica NPs at the surface of
427 *Pseudokirchneriella subcapitata*. This adsorption phenomenon was reported for cerium oxide
428 particles in *P. subcapitata* and *C. reinhardtii* (Röhder 2014; Pulido-Reyes et al. 2015), as
429 well. A cell wall attachment could involve a physiologic disorder of microalgae, as a
430 photosynthesis impediment in *Chlorella* with nanopolystyrene (Bhattacharya et al. 2010) or
431 thylakoid disorganization. It has been demonstrated that, after adhesion, TiO₂ particles could
432 also disrupt the cell wall, leading to plasmolysis (Xia et al. 2015). Moreover, plasmolysis, a
433 water loss phenomenon by cell, is also induced after nickel oxide NPs adhesion in *C. vulgaris*
434 (Gong et al. 2011).

435 Spectroscopic tools (Infrared and Raman) also detect chemical modifications of
436 microalgae (Meng et al. 2014) during interaction with NPs. Chen et al. (2017) monitored TiO₂
437 NP effects by Fourier transform infrared spectroscopy in attenuated total reflection (FTIR-
438 ATR). Infrared spectra monitored a peak decline of functional groups such as C-N, C=O, C-
439 O-C and P=O, which are characteristic of cell-wall and membrane components during
440 photocatalysis of TiO₂ NP at the surface of *C. reinhardtii* (Chen et al. 2017). Infrared
441 spectroscopy was also used to monitor cerium oxide and aluminium oxide nanoparticle effects
442 on microalgae (Pakrashi et al. 2013; Pulido-Reyes et al. 2015). One of the major interests of
443 these techniques, in the case of nanoparticle adsorption on microalgae, is to inform on which
444 chemical groups can be impacted.

445 In the case of plastics, adsorption mechanisms have been investigated mainly with
446 microplastics (Lagarde et al. 2016). At this size, it has been shown that microalgae formed
447 cohesive hetero-aggregates with plastics by excretion of exopolymeric substances (EPS)
448 leading to their sedimentation (Long et al. 2015). At the nanoscale, adsorption of nanoplastics
449 was observed on *Scenedesmus* and *Chlorella* (Bhattacharya et al. 2010) but in this case, there
450 was no indication of an impact on the sinking rate of microalgae.

451 **4.2.6. Absorption**

452 For very small particles (<20 nm), internalization can be visualised only by TEM
453 technique (Aruoja et al. 2015). NP uptake seems to adopt two ways, one natural via cell wall
454 pores and another unnatural via mechanical destructuration. The cell wall is semi-permeable
455 and can allow the crossing of very small particles (Navarro et al. 2008a). Once the uptake had
456 been completed, in which cellular compartments were NPs found?

457 Regarding the uptake of NPs, nickel oxide NP agglomerates were observed by TEM in the
458 cytoplasm of *C. vulgaris* (Oukarroum et al. 2017). In the same manner, copper oxide
459 aggregates were found in *C. reinhardtii* in the same compartment (Perreault et al. 2012). In
460 addition, cerium oxide NPs were found in *C. reinhardtii* around cells and intracellular vesicles
461 (Taylor et al. 2016).

462 TEM verified the internalization of silver, cerium, silica particles (Fujiwara et al. 2008;
463 Taylor et al. 2016; Wang et al. 2016). In some studies, aggregation was observed inside the
464 cell. Nickel oxide nanometric agglomerates are detected in *C. vulgaris* cytoplasm (Gong et al.
465 2011; Oukarroum et al. 2017), supposing NP uptake after plasma membrane disruption.
466 Moreover, in *C. reinhardtii*, Perreault et al., (2012) showed copper oxide aggregates of one
467 hundred nanometers potentially stocked in vacuoles.

468 **4.2.7. Impact at gene level**

469 Various monitoring techniques of molecular response have been described in the
470 literature. Techniques such as SDS-PAGE electrophoresis and MALDI MS-MS mass
471 spectrometry are utilized to identify proteins associated with silver NPs (Barwal et al. 2011).

472 After stress or direct environmental disruption, genetic expression offers a means of
473 following over/under-expression of genes. A RT-PCR (Reverse Transcriptase-Polymerase
474 Chain Reaction) study has been performed on genes of oxidative stress responses (superoxide
475 dismutase, glutathione peroxidase, catalase, and phototaxis). In this study, gene transcripts
476 linked with photosynthesis (psbA, nucleic gene encoding protein of liaison D1, part of
477 photosystem II reactive body; rbcS, small subunit gene of ribulose 1-5 bis phosphate
478 carboxylase) and with carotenoid biosynthesis pathway, (pds, gene encoding phytoene
479 desaturase) are also tracked (Wang et al. 2008). An exopolysaccharide biosynthesis pathway
480 may also be studied by quantitative PCR. Gene expression of UDP glucose 4-6 dehydratase
481 (UGLD), UDP-glucuronate decarboxylase (UGD), UDP glucose 4-epimerase (UGE) and
482 phosphoglucomutase (PG), implicated in the biosynthesis pathway of polysaccharides have
483 been monitored after interaction of microalgae *Chlamydomonas reinhardtii* with microplastics
484 (Lagarde et al. 2016). In addition, a transcriptomic approach was proposed by Taylor et al.
485 (2016), consisting of a gene survey encoding photosynthesis- implicated proteins. An ARN
486 study by sequencing (Simon et al. 2013) and an ARN messenger expression of CTR₂ protein
487 (copper carrier) (Leclerc and Wilkinson 2014) have also been reported for NPs.

488 The presence of particles inside the cell may modify the gene expression of microalgae. A
489 long-term study (70 days) with polypropylene and high-density polyethylene microplastics
490 has shown over-expression of the genes associated with the xylose biosynthesis pathway
491 (UGD: UDP-glucuronate decarboxylase) in *C. reinhardtii* (Lagarde et al. 2016). To our
492 knowledge, the same mechanisms could be suggested in the presence of nanoplastics but no

493 study on sugar biosynthesis pathway gene expression has been conducted so far in
494 microalgae.

495 Finally, Simon et al. (2013) reported for *C. reinhardtii* a decrease at the transcript level
496 linked with photosynthesis (growth reduction) in the presence of titane oxide or zinc NPs, and
497 a rise of gene transcripts linked to proteasome (increase of detoxification system, proteins
498 bend incorrectly). This study also underlines an enhancement of transcript levels encoding
499 cell wall components in the presence of silver NPs (Simon et al. 2013). Schiavo et al. (2016)
500 followed the genotoxicity of ZnO NPs with a COMET assay and reported effects from 5 mg
501 Zn/L.

502

503 **5. Conclusion: Which NPs for which measured impact?**

504 According to NP properties, measured impact on microalgae can widely differ. More than
505 sixty studies investigating the exposure of different microalgae to NPs with their reported
506 effects (see supplementary data) were summarized in Table 4 to investigate which NPs lead to
507 what impacts?

508 Silver is one of the most widely studied NPs (17/60 studies) as it is suspected of toxicity
509 contrarily to lanthanum oxide (La_2O_3), aluminium oxide (Al_2O_3), nickel oxide (NiO) and
510 manganese oxide (MgO) NP (Table 4). Most studies have reported internalization of Ag in
511 different types of microalgae (*C. reinhardtii*, *C. vulgaris*, *S. obliquus* and *E. gracilis*) due to
512 the release of Ag^+ ions and an agglomeration of ions inside the cell (Navarro et al. 2008b;
513 Barwal et al. 2011; Leclerc 2013; Ksiazek et al. 2015; Wang et al. 2016; Yue et al. 2017;
514 Zhang et al. 2017). In most of these studies, the toxicity of Ag NPs appeared at very low
515 concentrations (0.01 mg/L (Leclerc and Wilkinson 2014), Table S1). Microalgae

516 photosynthesis was impacted by Ag NPs between 0.03 and 5 mg/L (Leclerc 2013; Navarro et
517 al. 2015; Lodeiro et al. 2017; Sendra et al. 2017b; Yue et al. 2017; L. Zhang et al. 2017).
518 Moreover, toxic concentrations varied from 0.26 to 4.91 mg/L (Table S1), depending on the
519 surfactant, for the same Ag NPs (Navarro et al. 2015). However, in two of these studies no
520 adverse effects were reported for a concentration of 4.63×10^{-4} M Ag NP on *Thalassiosira*
521 *weissflogi* and *Chlorella vulgaris* (Miao et al. 2009; Eroglu et al. 2013). While other pure
522 metallic NPs such as Au, Co or Pt NPs have been less widely studied, internalization was also
523 observed on *Scenedesmus suspicatus* and *C. reinhardtii*, for small Au NPs (10 nm; Renault et
524 al., 2008) whereas it did not appear for Co NPs. All metallic NPs presented an effect on
525 growth and photosynthesis activity when investigated. As for Ag, the toxicity of Co NPs was
526 supposedly induced by release of Co^{2+} ions, showing that the quantification of ion release is
527 of major importance when studying the interaction of microorganisms with metallic NPs. In
528 addition, the aggregation of Co NPs may lead to a shading effect on three microalgae species:
529 *Platymonas subcordiformis*, *Chaetoceros curvisetus* and *Skeletonema costatum* (Chen et al.
530 2018). Overall, decrease of microalgae growth and photosynthesis activity are the most
531 widely studied criteria, and they appear to be impacted in the majority of studies involving
532 metallic and metallic oxide NPs, findings supporting the idea that metal containing NPs are
533 toxic to microalgae. However, in all cases except TiO_2 NPs, the growth inhibition was
534 monitored together with metallic ion release, raising questions on the actual toxicity of
535 particles compared to ions (Lee and An 2013; Suman et al. 2015; Schiavo et al. 2016; Yung et
536 al. 2017). Meanwhile, some studies still reported no effect at all of NPs on microalgae, for
537 example Miller et al. (2010), who did not note any effect of TiO_2 NPs. Balusamy et al. (2015)
538 reported no effect at all for lanthane oxide (La_2O_3) NPs at a high concentration (1000 mg/L),
539 on *Chorella sp.* growth but for the same concentration, lethal effects were observed in
540 *Daphnia magna*, showing that microalgae response is species-specific. On the contrary,

541 amorphous silica NPs, considered as biosafe, affected the growth of freshwater microalgae
542 according to Fujiwara et al. (2008) and Van Hoecke et al. (2008).

543 Another issue which may modify the effects of NPs on microalgae concerns particle
544 surface properties, and this parameter calls for in-depth characterization in exposure tests. The
545 coating effect of ZnO was studied by Yung et al. (2017) who showed that hydrophilic NPs
546 inhibited microalgae growth more than hydrophobic NPs. The surface properties of NPs were
547 likewise highlighted in impact measurements with the recent upsurge of research on
548 nanoplastics. Several studies reporting the effect of polystyrene (PS) NPs have been carried
549 out in various environments: fresh, brackish and sea-water (Besseling et al. 2014; Sjollema et
550 al. 2016; Bergami et al. 2017). Growth inhibition of *P. subcapitata* and *Scenedesmus*
551 *obliquus* has been described with amide-polystyrene NPs (Besseling et al. 2014; Nolte et al.
552 2016; Bergami et al. 2017) whereas this phenomenon has not been observed with polystyrene
553 nanoparticles coated with carboxylic chemical groups, suggesting the importance of
554 nanoparticle surfactants (Table 6, Bhattacharya et al. 2010; Nolte et al. 2016; Bergami et al.
555 2017). PS NPs with NH₂ groups at their surface induced higher oxidative stress compared to
556 COOH coating, and toxicity was observed at lower concentrations (12.97 mg/L vs. more than
557 100 mg/L for COOH, Bhattacharya et al. 2010; Bergami et al. 2017). These results show that
558 monitoring the surface properties of NPs is of major importance in understanding interaction
559 pathways.

560 Different sizes of PS NP, ranging from 20 to 500 nm, have also been tested, but no
561 internalization of polymeric NPs has been mentioned (Table 4, S3). The minimal observed
562 toxicity concentration of PS NPs was found to be 6.5 mg/L (Bhattacharya et al. 2010).
563 However, the effects of nanoplastics on microalgae have been only sparsely described due to
564 the difficulty of their detection compared to metallic NPs and the low number of kinds of
565 nanoplastics that are currently commercially available. Lastly, even if the effects all of all

566 kinds of studied particles are often described as size-dependent, up until now no direct
567 correlation between the size of NPs and the described effects has been found. For example,
568 Fujiwara et al. (2008) suggested that the toxicity of silica NP was size-dependent, while Van
569 Hoecke et al. (2008) observed similar effects for two silica NP with different sizes and
570 different surface areas.

571 Overall, characterizing the properties of NPs in exposure experiments appears decidedly
572 important as a means of understanding the interaction pathways and potential impacts of these
573 particles on microalgae. Among several parameters currently used to monitor impacts
574 (photosynthesis, membrane integrity, biochemical composition changes, gene expression
575 changes...) growth is one the simpler parameters to record, and remains the most widely
576 mentioned as an indicator of nanoparticle toxicity on microalgae (Table 4). However, the
577 other parameters may be more informative as regards the mechanisms involved during
578 interaction and should also be accurately monitored. The most frequently used techniques in
579 nanoparticle-microalgae interaction monitoring are microscopy, biochemical assay (ROS,
580 propidium iodide quantification), genetic tools and spectroscopy. All of them provide data
581 that are complementary and most of the time, several are necessary to understand the impacts
582 of interaction on microalgae while providing sensitive information on NP properties and
583 modifications.

584 To conclude, among all the studies reported here, size, NP concentration and time of
585 interaction have greatly varied a fact rendering comparison difficult. What is more, methods
586 of characterization have differed from one study to another, with each of them providing only
587 some pieces of evidence. NPs is a generic name encompassing a wide-ranging variety of
588 materials that can pronouncedly differ in chemical nature, shape, surface properties and size.
589 It consequently appears very difficult to identify common pathways in their interactions with
590 microalgae. And lastly, primary producers also present diversified shapes and barriers

591 (frustule, cell-wall, plasmic membrane) which can be an obstacle to interpretation of the key
 592 NP factors resulting in the impacts.

593 *Table 4: Effect synthesis of NPs interactions with microalgae. Red: effect reported in a majority of*
 594 *studies (more than half), orange: effect reported in some studies but no frequently mentioned (less*
 595 *than half), yellow: effect no clearly demonstrates (studies VS studies), green: no effect, white: not*
 596 *investigated*

NP type	Study number	Recorded effect	Growth	Oxidative stress	Photosynthesis	Internalisation	Ions	Others
Ag	17	15/17	Orange	Yellow	Orange	Red	Red	Gene overexpressed
CeO ₂	15	12/15	Yellow	Yellow	Yellow	Yellow	Orange	Adsorption
								Cell membrane damage
ZnO	14	13/14	Red	Orange	Orange	Orange	Red	
PS	13	9/13	Yellow	Yellow	Yellow	Red	White	
TiO ₂	11	9/11	Red	Orange	Yellow	Yellow	Green	Modification gene expression
								Shading effect
CuO	5	5/5	Yellow	Red	Orange	Yellow	Orange	
Au	4	3/4	Red	White	Yellow	Yellow	White	Adsorption
Co	3	3/3	Red	White	Red	Green	Red	Adsorption
NiO	2	2	Red	Yellow	Yellow	Yellow	Yellow	
Si	2	2	Red	White	Yellow	Yellow	White	
Pt	1	1	Red	White	White	White	Green	
La ₂ O ₃	1	0	Green	White	White	White	White	

Fe ₂ O ₃	1	1	Red	Red	Red			
MgO	1	1	Red	Red	Red		Red	
Al ₂ O ₃	1	1	Red	Green			Red	
QD	1	1	Red	Red	Green			

597

598

599 **Bibliography**

- 600 Adeleye AS, Keller AA. 2016. Interactions between Algal Extracellular Polymeric Substances
601 and Commercial TiO₂ Nanoparticles in Aqueous Media. *Environ Sci Technol.* 50(22): 12258–
602 12265. doi:10.1021/acs.est.6b03684.
- 603 Adeleye AS, Stevenson LM, Su Y, Nisbet RM, Zhang Y, Arturo AK. 2016. Influence of
604 Phytoplankton on Fate and Effects of Modified Zerovalent Iron Nanoparticles. *Environ Sci*
605 *Technol.*
- 606 Aitken RJ, Chaudhry MQ, Boxall ABA, Hull M. 2006. Manufacture and use of
607 nanomaterials: Current status in the UK and global trends. *Occup Med (Chic Ill).* 56(5):300–
608 306. doi:10.1093/occmed/kql051.
- 609 Almeida E, Diamantino TC, De Sousa O. 2007. Marine paints: The particular case of
610 antifouling paints. *Prog Org Coatings.* 59(1):2–20. doi:10.1016/j.porgcoat.2007.01.017.
- 611 Ansari SM, Bhor RD, Pai KR, Sen D, Mazumder S, Ghosh K, Kolekar YD, Ramana C V.
612 2017. Cobalt nanoparticles for biomedical applications: Facile synthesis, physiochemical
613 characterization, cytotoxicity behavior and biocompatibility. *Appl Surf Sci.* 414:171–187.
614 doi:10.1016/j.apsusc.2017.03.002.
- 615 Aruoja V, Pokhrel S, Sihtmäe M, Mortimer M, Mädler L, Kahru A. 2015. Toxicity of 12
616 metal-based nanoparticles to algae, bacteria and protozoa. *Environ Sci Nano.* 2(6):630–644.
617 doi:10.1039/C5EN00057B.
- 618 Athinarayanan J, Periasamy VS, Alsaif MA, Al-Warthan AA, Alshatwi AA. 2014. Presence
619 of nanosilica (E551) in commercial food products: TNF-mediated oxidative stress and altered
620 cell cycle progression in human lung fibroblast cells. *Cell Biol Toxicol.* 30(2):89–100.
621 doi:10.1007/s10565-014-9271-8.
- 622 Balusamy B, Taştan BE, Ergen SF, Uyar T, Tekinay T. 2015. Toxicity of lanthanum oxide
623 (La₂O₃) nanoparticles in aquatic environments. *Environ Sci Process Impacts.* 17(7):1265–70.
624 doi:10.1039/c5em00035a.
- 625 Barwal I, Ranjan P, Kateriya S, Yadav S. 2011. Cellular oxido-reductive proteins of
626 *Chlamydomonas reinhardtii* control the biosynthesis of silver nanoparticles. *J*
627 *Nanobiotechnology.* 9(1):56. doi:10.1186/1477-3155-9-56.
- 628 Bergami E, Pugnolini S, Vannuccini ML, Manfra L, Faleri C, Savorelli F, Dawson KA, Corsi
629 I. 2017. Long-term toxicity of surface-charged polystyrene nanoplastics to marine planktonic
630 species *Dunaliella tertiolecta* and *Artemia franciscana*. *Aquat Toxicol.* 189(March):159–169.
631 doi:10.1016/j.aquatox.2017.06.008.
- 632 Besseling E, Wang B, Lüring M, Koelmans AA, Lüring M, Koelmans AA. 2014.
633 Nanoplastic affects growth of *S. obliquus* and reproduction of *D. magna*. *Environ Sci*
634 *Technol.* 48(20):12336–12343. doi:10.1021/es503001d.
- 635 Bhattacharya P, Sijie L, James PT, Pu Chun K. 2010. Physical Adsorption of Charged Plastic
636 Nanoparticles Affects Algal Photosynthesis. *J Phys Chem C.* 114(October):16556.
637 doi:10.1021/jp1054759.
- 638 Bowler C, Karl DM, Colwell RR. 2009. Microbial oceanography in a sea of opportunity.
639 *Nature.* 459(7244):180–184. doi:10.1038/nature08056.

- 640 Burchardt AD, Carvalho RN, Valente A, Nativo P, Gilliland D, Garcia CP, Passarella R,
641 Pedroni V, Rossi F, Lettieri T. 2012. Effects of silver nanoparticles in diatom *Thalassiosira*
642 *pseudonana* and cyanobacterium *Synechococcus sp.* Environ Sci Technol. 46(20):11336–44.
643 doi:10.1021/es300989e.
- 644 Casado MP, Macken A, Byrne HJ. 2013. Ecotoxicological assessment of silica and
645 polystyrene nanoparticles assessed by a multitrophic test battery. Environ Int.
646 51(January):97–105. doi:10.1016/j.envint.2012.11.001.
- 647 Cedervall T, Hansson LA, Lard M, Frohm B, Linse S. 2012. Food chain transport of
648 nanoparticles affects behaviour and fat metabolism in fish. PLoS One. 7(2):1–6.
649 doi:10.1371/journal.pone.0032254.
- 650 Celardo I, Pedersen JZ, Traversa E, Ghibelli L. 2011. Pharmacological potential of cerium
651 oxide nanoparticles. Nanoscale. 3(4):1411. doi:10.1039/c0nr00875c.
- 652 Cheloni G, Marti E, Slaveykova VI. 2016. Interactive effects of copper oxide nanoparticles
653 and light to green alga *Chlamydomonas reinhardtii*. Aquat Toxicol. 170:120–8.
654 doi:10.1016/j.aquatox.2015.11.018.
- 655 Chen X, Lu R, Liu P, Li X. 2017. Effects of nano-TiO₂ on *Chlamydomonas reinhardtii* cell
656 surface under UV, natural light conditions. J Wuhan Univ Technol Sci Ed. 32(1):217–222.
657 doi:10.1007/s11595-017-1583-0.
- 658 Chen X, Zhang C, Tan L, Wang J. 2018. Toxicity of Co nanoparticles on three species of
659 marine microalgae. Environ Pollut. 236:454–461. doi:10.1016/j.envpol.2018.01.081.
- 660 Commission TE. 2011. Recommandation de la commission relative à la définition des
661 nanomatériaux. J Off Eur union. (October 2011).
- 662 Daniel M-C, Astruc D. 2004. Gold Nanoparticles: Assembly, Supramolecular Chemistry,
663 Quantum-Size-Related Properties, and Applications toward Biology, Catalysis, and
664 Nanotechnology. Chem Rev. 104(1):293–346. doi:10.1021/cr030698+.
- 665 Dauda S, Chia MA, Bako SP. 2017. Toxicity of titanium dioxide nanoparticles to *Chlorella*
666 *vulgaris* Beyerinck (Beijerinck) 1890 (Trebouxiophyceae, Chlorophyta) under changing
667 nitrogen conditions. Aquat Toxicol. 187:108–114. doi:10.1016/j.aquatox.2017.03.020.
- 668 Dorney J, Bonnier F, Garcia A, Casey A, Chambers G, Byrne HJ. 2012. Identifying and
669 localizing intracellular nanoparticles using Raman spectroscopy. Analyst. 137(5):1111.
670 doi:10.1039/c2an15977e.
- 671 Eroglu E, Eggers PK, Winslade M, Smith SM, Raston CL. 2013. Enhanced accumulation of
672 microalgal pigments using metal nanoparticle solutions as light filtering devices. Green
673 Chem. 15(11):3155–3159. doi:10.1039/C3GC41291A.
- 674 Falco F De, Pia M, Gentile G, Di E, Escudero R, Villalba R, Mossotti R, Montarsolo A,
675 Gavignano S, Tonin C, et al. 2017. Evaluation of microplastic release caused by textile
676 washing processes of synthetic fabrics. doi:10.1016/j.envpol.2017.10.057.
- 677 Fujiwara K, Suematsu H, Kiyomiya E, Aoki M, Sato M, Moritoki N. 2008. Size-dependent
678 toxicity of silica nano-particles to *Chlorella kessleri*. J Environ Sci Heal Part A. 43(10):1167–
679 1173. doi:10.1080/10934520802171675.

680 Geider RJ, Delucia EH, Falkowski PG, Finzi C, Grime JP, Grace J, Kana TM, La Roche J,
681 Long SP, Osborne B, et al. 2001. Primary productivity of planet earth: biological determinants
682 and physical constraints in terrestrial and aquatic habitats. *Glob Chang Biol.* 7(8):849–882.
683 doi:10.1046/j.1365-2486.2001.00448.x.

684 Gong N, Shao K, Feng W, Lin Z, Liang C, Sun Y. 2011. Biototoxicity of nickel oxide
685 nanoparticles and bio-remediation by microalgae *Chlorella vulgaris*. *Chemosphere.*
686 83(4):510–516. doi:10.1016/j.chemosphere.2010.12.059.

687 Haiss W, Thanh TKN, Aveyard J, Fernig GD. 2007. Determination of size and concentration
688 of gold nanoparticles from extinction spectra. *Anal Chem.* 79(11):4215–4221.
689 doi:10.1021/ac800834n.

690 Ter Halle A, Jeanneau L, Martignac M, Jardé E, Pedrono B, Brach L, Gigault J. 2017.
691 Nanoplastic in the North Atlantic Subtropical Gyre. *Environ Sci Technol.* 51(23):13689–
692 13697. doi:10.1021/acs.est.7b03667.

693 Hartmann NB, Von der Kammer F, Hofmann T, Baalousha M, Ottofuelling S, Baun A. 2010.
694 Algal testing of titanium dioxide nanoparticles-Testing considerations, inhibitory effects and
695 modification of cadmium bioavailability. *Toxicology.* 269(2–3):190–197.
696 doi:10.1016/j.tox.2009.08.008.

697 He M, Yan Y, Pei F, Wu M, Gebreluel T, Zou S, Wang C. 2017. Improvement on lipid
698 production by *Scenedesmus obliquus* triggered by low dose exposure to nanoparticles. *Sci*
699 *Rep.* 7(1):15526. doi:10.1038/s41598-017-15667-0.

700 Van Hoecke K, De Schampelaere KAC, Van der Meeren P, Lucas S, Janssen CR. 2008.
701 Ecotoxicity of Silica Nanoparticles To the Green Alga *Pseudokirchneriella subcapitata*:
702 Importance of Surface Area. *Environ Toxicol Chem.* 27(9):1948. doi:10.1897/07-634.1.

703 Hosikian A, Lim S, Halim R, Danquah MK. 2010. Chlorophyll extraction from microalgae: A
704 review on the process engineering aspects. *Int J Chem Eng.*(May). doi:10.1155/2010/391632.

705 Howe G, Merchant S. 1992. Heavy Metal-Activated Synthesis of Peptides in *Chlamydomonas*
706 *reinhardtii*. *Plant Physiol.* 98:127–136. doi:10.1104/pp.98.1.127.

707 Hu J, Wang J, Liu S, Zhang Z, Zhang H, Cai X, Pan J, Liu J. 2017. Effect of TiO₂
708 nanoparticle aggregation on marine microalgae *Isochrysis galbana*. *J Environ Sci.*:1–8.
709 doi:10.1016/j.jes.2017.05.026.

710 Imhof HK, Rusek J, Thiel M, Wolinska J, Laforsch C. 2017. Do microplastic particles affect
711 *Daphnia magna* at the morphological, life history and molecular level? Hwang J-S, editor.
712 *PLoS One.* 12(11):e0187590. doi:10.1371/journal.pone.0187590.

713 Institution BS. 2011. PAS 71:2011, Nanoparticles. Vocabulary. London, United Kingdom:
714 BSI.

715 Iswarya V, Johnson JB, Parashar A, Pulimi M, Chandrasekaran N, Mukherjee A. 2016.
716 Modulatory effects of Zn²⁺ ions on the toxicity of citrate- and PVP-capped gold nanoparticles
717 towards freshwater algae, *Scenedesmus obliquus*. *Environ Sci Pollut Res.*
718 doi:10.1007/s11356-016-8131-x.

719 Ivask A, Mitchell AJ, Malysheva A, Voelcker NH, Lombi E. 2017. Methodologies and
720 approaches for the analysis of cell-nanoparticle interactions. *Wiley Interdiscip Rev*

- 721 Nanomedicine Nanobiotechnology: e1486. doi:10.1002/wnan.1486.
- 722 Jambeck JR, Geyer R, Wilcox C, Siegler TR, Perryman M, Andrady A, Narayan R, Lavender
723 K. 2015. Plastic waste inputs from land into the ocean. *Science* (80-). 347(January):768–771.
724 doi:10.1126/science.1260352.
- 725 Jamers A, Blust R, De Coen W, Griffin JL, Jones OAH. 2013. An omics based assessment of
726 cadmium toxicity in the green alga *Chlamydomonas reinhardtii*. *Aquat Toxicol.* 126:355–364.
727 doi:10.1016/j.aquatox.2012.09.007.
- 728 Jamers A, Lenjou M, Deraedt P, Bockstaele D Van, Blust R, Coen W de. 2009. Flow
729 cytometric analysis of the cadmium-exposed green alga *Chlamydomonas reinhardtii*
730 (Chlorophyceae). *Eur J Phycol.* 44(4):541–550. doi:10.1080/09670260903118214.
- 731 Jeevanandam J, Barhoum A, Chan YS, Dufresne A, Danquah MK. 2018. Review on
732 nanoparticles and nanostructured materials: History, sources, toxicity and regulations.
733 *Beilstein J Nanotechnol.* 9(1):1050–1074. doi:10.3762/bjnano.9.98.
- 734 Kadar E, Rooks P, Lakey C, White DA. 2012. The effect of engineered iron nanoparticles on
735 growth and metabolic status of marine microalgae cultures. *Sci Total Environ.* 439:8–17.
736 doi:10.1016/j.scitotenv.2012.09.010.
- 737 Kneipp K, HaKa AS, Kneipp H, Badizadegan K, Yoshizawa N, Boone C, Feld MIS. 2002.
738 Surface-Enhanced Raman Spectroscopy in Single Living. *Appl Spectrosc.* 56(2):150–154.
- 739 Ksiazek M, Asztemborska M, Steborowski R, Bystrzejewska-Piotrowska G. 2015. Toxic
740 effect of silver and platinum nanoparticles toward the freshwater microalga
741 *Pseudokirchneriella subcapitata*. *Bull Environ Contam Toxicol.* 94(5):554–558.
742 doi:10.1007/s00128-015-1505-9.
- 743 Kulacki KJ, Cardinale BJ. 2012. Effects of Nano-Titanium Dioxide on Freshwater Algal
744 Population Dynamics. *PLoS One.* 7(10). doi:10.1371/journal.pone.0047130.
- 745 Kustov LM, Abramenko NB. 2016. Study of ecotoxicity of silver nanoparticles using algae.
746 *Russ J Phys Chem A.* 90(11):2217–2220. doi:10.1134/S0036024416110121.
- 747 Lagarde F, Olivier O, Zanella M, Daniel P, Hiard S, Caruso A. 2016. Microplastic
748 interactions with freshwater microalgae: Hetero-aggregation and changes in plastic density
749 appear strongly dependent on polymer type. *Environ Pollut.* 215:331–339.
750 doi:10.1016/j.envpol.2016.05.006.
- 751 Lahr R, Vikesland P. 2014. Surface-enhanced Raman spectroscopy (SERS) cellular imaging
752 of intracellularly biosynthesized gold nanoparticles. *ACS Sustain Chem Eng.:A-J.*
753 doi:10.1021/sc500105n.
- 754 Lapresta-Fernández A, Fernández A, Blasco J. 2012. Nanoecotoxicity effects of engineered
755 silver and gold nanoparticles in aquatic organisms. *TrAC - Trends Anal Chem.* 32(797):40–
756 59. doi:10.1016/j.trac.2011.09.007.
- 757 Leclerc S. 2013. La bioaccumulation d'une nanoparticule d'argent (nAg) par l'algue verte
758 *Chlamydomonas reinhardtii*: distinguer la contribution de la particule de celle de l'ion Ag⁺.
- 759 Leclerc S, Wilkinson KJ. 2014. Bioaccumulation of nanosilver by *Chlamydomonas*
760 *reinhardtii* - Nanoparticle or the free ion? *Environ Sci Technol.* 48(1):358–364.

761 doi:10.1021/es404037z.

762 Lee AK, Lewis DM, Ashman PJ. 2013. Force and energy requirement for microalgal cell
763 disruption: An atomic force microscope evaluation. *Bioresour Technol.* 128:199–206.
764 doi:10.1016/j.biortech.2012.10.032.

765 Lee WM, An YJ. 2013. Effects of zinc oxide and titanium dioxide nanoparticles on green
766 algae under visible, UVA, and UVB irradiations: No evidence of enhanced algal toxicity
767 under UV pre-irradiation. *Chemosphere.* 91(4):536–544.
768 doi:10.1016/j.chemosphere.2012.12.033.

769 Li J, Ou D, Zheng L, Gan N, Song L. 2011. Applicability of the fluorescein diacetate assay
770 for metabolic activity measurement of *Microcystis aeruginosa* (Chroococcales,
771 Cyanobacteria). *Phycol Res.* 59(3):200–207. doi:10.1111/j.1440-1835.2011.00618.x.

772 Li X. 2015. Interactions of silver and polystyrene nanoparticles with algae. *École*
773 *polytechnique de Lausanne.*

774 Libralato G, Galdiero E, Falanga A, Carotenuto R, de Alteriis E, Guida M. 2017. Toxicity
775 Effects of Functionalized Quantum Dots, Gold and Polystyrene Nanoparticles on Target
776 Aquatic Biological Models: A Review. *Molecules.* 22(9):1439.
777 doi:10.3390/molecules22091439.

778 Lodeiro P, Browning TJ, Achterberg EP, Guillou A. 2017. Mechanisms of silver nanoparticle
779 toxicity to the coastal marine diatom *Chaetoceros curvisetus*. *Sci Rep.*(June):1–10.
780 doi:10.1038/s41598-017-11402-x.

781 Long M, Moriceau B, Gallinari M, Lambert C, Huvet A, Raffray J, Soudant P. 2015.
782 Interactions between microplastics and phytoplankton aggregates: Impact on their respective
783 fates. *Mar Chem.* 175:39–46. doi:10.1016/j.marchem.2015.04.003.

784 López-Serrano A, Olivás RM, Landaluze JS, Cámara C. 2014. Nanoparticles: a global vision.
785 Characterization, separation, and quantification methods. Potential environmental and health
786 impact. *Anal Methods.* 6(1):38–56. doi:10.1039/C3AY40517F.

787 MacIntyre HL, Kana TM, Geider RJ. 2000. The effect of water motion on short-term rates of
788 photosynthesis by marine phytoplankton. *Trends Plant Sci.* 5:12–17.

789 Manier N, Bado-Nilles A, Delalain P, Aguerre-Chariol O, Pandard P. 2013. Ecotoxicity of
790 non-aged and aged CeO₂ nanomaterials towards freshwater microalgae. *Environ Pollut.*
791 180:63–70. doi:10.1016/j.envpol.2013.04.040.

792 Manier N, Garaud M, Delalain P, Aguerre-Chariol O, Pandard P. 2011. Behaviour of ceria
793 nanoparticles in standardized test media – influence on the results of ecotoxicological tests. *J*
794 *Phys Conf Ser.* 304:012058. doi:10.1088/1742-6596/304/1/012058.

795 Melegari SP, Perreault F, Costa RHR, Popovic R, Matias WG. 2013. Evaluation of toxicity
796 and oxidative stress induced by copper oxide nanoparticles in the green alga *Chlamydomonas*
797 *reinhardtii*. *Aquat Toxicol.* 142–143:431–40. doi:10.1016/j.aquatox.2013.09.015.

798 Meng Y, Yao C, Xue S, Yang H. 2014. Application of Fourier transform infrared (FT-IR)
799 spectroscopy in determination of microalgal compositions. *Bioresour Technol.* 151:347–354.
800 doi:10.1016/j.biortech.2013.10.064.

801 Metzler DM, Li M, Erdem A, Huang CP. 2011. Responses of algae to photocatalytic nano-
802 TiO₂ particles with an emphasis on the effect of particle size. Chem Eng J. 170(2–3):538–
803 546. doi:10.1016/j.cej.2011.02.002.

804 Miao AJ, Luo Z, Chen CS, Chin WC, Santschi PH, Quigg A. 2010. Intracellular uptake: A
805 possible mechanism for silver engineered nanoparticle toxicity to a freshwater alga
806 *Ochromonas danica*. PLoS One. 5(12):6–13. doi:10.1371/journal.pone.0015196.

807 Miao AJ, Schwehr KA, Xu C, Zhang SJ, Luo Z, Quigg A, Santschi PH. 2009. The algal
808 toxicity of silver engineered nanoparticles and detoxification by exopolymeric substances.
809 Environ Pollut. 157(11):3034–3041. doi:10.1016/j.envpol.2009.05.047.

810 Miller RJ, Lenihan HS, Muller EB, Tseng N, Hanna SK, Keller AA. 2010. Impacts of Metal
811 Oxide Nanoparticles on Marine Phytoplankton. Environ Sci Technol. 44(19):7329–7334.
812 doi:10.1021/es100247x.

813 Moore MN. 2006. Do nanoparticles present ecotoxicological risks for the health of the aquatic
814 environment? Environ Int. 32(8):967–976. doi:10.1016/j.envint.2006.06.014.

815 Von Moos N, Maillard L, Slaveykova VI. 2015. Dynamics of sub-lethal effects of nano-CuO
816 on the microalga *Chlamydomonas reinhardtii* during short-term exposure. Aquat Toxicol.
817 161:267–275. doi:10.1016/j.aquatox.2015.02.010.

818 Von Moos N, Slaveykova VI. 2014. Oxidative stress induced by inorganic nanoparticles in
819 bacteria and aquatic microalgae--state of the art and knowledge gaps. Nanotoxicology.
820 8(6):605–630. doi:10.3109/17435390.2013.809810.

821 Navarro E, Baun A, Behra R, Hartmann NB, Filser J, Miao AJ, Quigg A, Santschi PH, Sigg
822 L. 2008a. Environmental behavior and ecotoxicity of engineered nanoparticles to algae,
823 plants, and fungi. Ecotoxicology. 17(5):372–386. doi:10.1007/s10646-008-0214-0.

824 Navarro E, Piccapietra F, Wagner B, Marconi F, Kaegi R, Odzak N, Sigg L, Behra R. 2008b.
825 Toxicity of Silver Nanoparticles to *Chlamydomonas reinhardtii*.

826 Navarro E, Wagner B, Odzak N, Sigg L, Behra R. 2015. Effects of differently coated silver
827 nanoparticles on the photosynthesis of *Chlamydomonas reinhardtii*. Environ Sci Technol.
828 49(13):8041–8047. doi:10.1021/acs.est.5b01089.

829 Nolte TM, Hartmann NB, Kleijn JM, Garnæs J, van de Meent D, Jan Hendriks A, Baun A.
830 2016. The toxicity of plastic nanoparticles to green algae as influenced by surface
831 modification, medium hardness and cellular adsorption. Aquat Toxicol. 183:11–20.
832 doi:10.1016/j.aquatox.2016.12.005.

833 Osmond MJ, McCall MJ. 2010. Zinc oxide nanoparticles in modern sunscreens: An analysis
834 of potential exposure and hazard. Nanotoxicology. 4(1):15–41.
835 doi:10.3109/17435390903502028.

836 Oukarroum A, Zaidi W, Samadani M, Dewez D. 2017. Toxicity of nickel oxide nanoparticles
837 on a freshwater green algal strain of *Chlorella vulgaris*. Biomed Res Int. 2017(2011).
838 doi:10.1155/2017/9528180.

839 Pakrashi S, Dalai S, T.C. P, Trivedi S, Myneni R, Raichur AM, Chandrasekaran N,
840 Mukherjee A. 2013. Cytotoxicity of aluminium oxide nanoparticles towards fresh water algal
841 isolate at low exposure concentrations. Aquat Toxicol. 132–133:34–45.

- 842 doi:10.1016/j.aquatox.2013.01.018.
- 843 Peng X, Palma S, Fisher NS, Wong SS. 2011. Effect of morphology of ZnO nanostructures on
844 their toxicity to marine algae. *Aquat Toxicol.* 102(3–4):186–196.
845 doi:10.1016/j.aquatox.2011.01.014.
- 846 Perreault F, Oukarroum A, Melegari SP, Matias WG, Popovic R. 2012. Polymer coating of
847 copper oxide nanoparticles increases nanoparticles uptake and toxicity in the green alga
848 *Chlamydomonas reinhardtii*. *Chemosphere.* 87(11):1388–1394.
849 doi:10.1016/j.chemosphere.2012.02.046.
- 850 Phuong NN, Zalouk-Vergnoux A, Poirier L, Kamari A, Châtel A, Mouneyrac C, Lagarde F.
851 2016. Is there any consistency between the microplastics found in the field and those used in
852 laboratory experiments? *Environ Pollut.* 211:111–123. doi:10.1016/j.envpol.2015.12.035.
- 853 Pinto E, Sigaud- Kutner TCS, Leitao MAS, Okamoto OK. 2003. Review heavy metals:
854 induced oxydative stress in algae. *J Phycol.* 39:1008–1018. doi:10.1111/j.0022-3646.2003.02-
855 193.x.
- 856 Prado R, Rioboo C, Herrero C, Cid Á. 2011. Characterization of cell response in
857 *Chlamydomonas moewusii* cultures exposed to the herbicide paraquat: Induction of chlorosis.
858 *Aquat Toxicol.* 102(1–2):10–17. doi:10.1016/j.aquatox.2010.12.013.
- 859 Pulido-Reyes G, Rodea-Palomares I, Das S, Sakthivel TS, Leganes F, Rosal R, Seal S,
860 Fernández-Piñas F. 2015. Untangling the biological effects of cerium oxide nanoparticles: the
861 role of surface valence states. *Sci Rep.* 5:15613. doi:10.1038/srep15613.
- 862 Renault S, Baudrimont M, Mesmer-Dudons N, Gonzalez P, Mornet S, Brisson A. 2008.
863 Impacts of gold nanoparticle exposure on two freshwater species: a phytoplanktonic alga
864 (*Scenedesmus subspicatus*) and a benthic bivalve (*Corbicula fluminea*). *Gold Bull.* 41(2):116–
865 126. doi:10.1007/BF03216589.
- 866 Robichaud CO, Uyar AE, Darby MR, Zucker LG, Wiesner MR. 2009. Estimates of Upper
867 Bounds and Trends in Nano-TiO₂ Production As a Basis for Exposure Assessment. *Environ*
868 *Sci Technol.* 43(12):4227–4233. doi:10.1021/es8032549.
- 869 Röhder LA. 2014. Interaction of cerium dioxide nanoparticles with the green alga
870 *Chlamydomonas reinhardtii* of physico-chemical characteristics and cerium III. Bremen
871 (GERMANY).
- 872 Röhder LA, Brandt T, Sigg L, Behra R. 2014. Influence of agglomeration of cerium oxide
873 nanoparticles and speciation of cerium (III) on short term effects to the green algae
874 *Chlamydomonas reinhardtii*. *Aquat Toxicol.* 152:121–130.
875 doi:10.1016/j.aquatox.2014.03.027.
- 876 Sadiq IM, Dalai S, Chandrasekaran N, Mukherjee A. 2011. Ecotoxicology and Environmental
877 Safety Ecotoxicity study of titania (TiO₂) NPs on two microalgae species: *Scenedesmus sp.*
878 and *Chlorella sp.* *Ecotoxicol Environ Saf.* 74(5):1180–1187.
879 doi:10.1016/j.ecoenv.2011.03.006.
- 880 Saison C, Perreault F, Daigle JC, Fortin C, Claverie J, Morin M, Popovic R. 2010. Effect of
881 core-shell copper oxide nanoparticles on cell culture morphology and photosynthesis
882 (photosystem II energy distribution) in the green alga, *Chlamydomonas reinhardtii*. *Aquat*
883 *Toxicol.* 96(2):109–114. doi:10.1016/j.aquatox.2009.10.002.

- 884 Salata O V. 2004. Journal of Nanobiotechnology. J Nanobiotechnology. 6(3):1–6.
885 doi:10.1186/1477-3155-2-12.
- 886 Salvati A, Åberg C, dos Santos T, Varela J, Pinto P, Lynch I, Dawson KA. 2011.
887 Experimental and theoretical comparison of intracellular import of polymeric nanoparticles
888 and small molecules: toward models of uptake kinetics. Nanomedicine Nanotechnology, Biol
889 Med. 7(6):818–826. doi:https://doi.org/10.1016/j.nano.2011.03.005.
- 890 Sandberg J, Odenvall Wallinder I, Leygraf C, Virta M. 2007. Release and chemical speciation
891 of copper from anti-fouling paints with different active copper compounds in artificial
892 seawater. Mater Corros. 58(3):165–172. doi:10.1002/maco.200604002.
- 893 Sartory DP. 1985. The determination of algal chlorophyllous pigments by high performance
894 liquid chromatography and spectrophotometry. Water Res. 19(5):605–610. doi:10.1016/0043-
895 1354(85)90066-1.
- 896 Schiavo S, Oliviero M, Li J, Manzo S. 2017. Testing ZnO nanoparticle ecotoxicity: linking
897 time variable exposure to effects on different marine model organisms. Environ Sci Pollut
898 Res.
- 899 Schiavo S, Oliviero M, Miglietta M, Rametta G, Manzo S. 2016. Genotoxic and cytotoxic
900 effects of ZnO nanoparticles for *Dunaliella tertiolecta* and comparison with SiO₂ and TiO₂
901 effects at population growth inhibition levels. Sci Total Environ. 550:619–627.
902 doi:10.1016/j.scitotenv.2016.01.135.
- 903 Schrand AM, Schlager JJ, Dai L, Hussain SM. 2010. Preparation of cells for assessing
904 ultrastructural localization of nanoparticles with transmission electron microscopy. Nat
905 Protoc. 5(4):744–757. doi:10.1038/nprot.2010.2.
- 906 Schwab F, Bucheli TD, Lukhele LP, Magrez A, Nowack B, Sigg L, Knauer K. 2011. Are
907 Carbon Nanotube Effects on Green Algae Caused by Shading and Agglomeration? Environ
908 Sci Technol. 45(14):6136–6144. doi:10.1021/es200506b.
- 909 Sendra M, Blasco J, Araújo CVM. 2017a. Is the cell wall of marine phytoplankton a
910 protective barrier or a nanoparticle interaction site? Toxicological responses of *Chlorella*
911 *autotrophica* and *Dunaliella salina* to Ag and CeO₂ nanoparticles. Ecol Indic.(January):0–1.
912 doi:10.1016/j.ecolind.2017.08.050.
- 913 Sendra M, Yeste PM, Moreno-Garrido I, Gatica JM, Blasco J. 2017b. CeO₂ NPs, toxic or
914 protective to phytoplankton? Charge of nanoparticles and cell wall as factors which cause
915 changes in cell complexity. Sci Total Environ. doi:10.1016/j.scitotenv.2017.03.007.
- 916 Simon DF, Domingos RF, Hauser C, Hutchins CM, Zerges W, Wilkinson KJ. 2013.
917 Transcriptome sequencing (RNA-seq) analysis of the effects of metal nanoparticle exposure
918 on the transcriptome of *Chlamydomonas reinhardtii*. Appl Environ Microbiol. 79(16):4774–
919 4785. doi:10.1128/AEM.00998-13.
- 920 Sjollem SB, Redondo-Hasselerharm P, Leslie HA, Kraak MHS, Vethaak AD. 2016. Do
921 plastic particles affect microalgal photosynthesis and growth? Aquat Toxicol. 170:259–261.
922 doi:10.1016/j.aquatox.2015.12.002.
- 923 Suman TY, Radhika Rajasree SR, Kirubakaran R. 2015. Evaluation of zinc oxide
924 nanoparticles toxicity on marine algae *Chlorella vulgaris* through flow cytometric,
925 cytotoxicity and oxidative stress analysis. Ecotoxicol Environ Saf. 113:23–30.

- 926 doi:10.1016/j.ecoenv.2014.11.015.
- 927 Taylor NS, Merrifield R, Williams TD, Chipman JK, Lead JR, Viant MR. 2016. Molecular
928 toxicity of cerium oxide nanoparticles to the freshwater alga *Chlamydomonas reinhardtii* is
929 associated with supra-environmental exposure concentrations. *Nanotoxicology*. 10(1):1–10.
930 doi:10.3109/17435390.2014.1002868.
- 931 Trovarelli A, De Leitenburg C, Boaro M, Dolcetti G. 1999. The utilization of ceria in
932 industrial catalysis. *Catal Today*. 50(2):353–367. doi:10.1016/S0920-5861(98)00515-X.
- 933 Vance ME, Kuiken T, Vejerano EP, McGinnis SP, Hochella MF, Hull DR. 2015.
934 Nanotechnology in the real world: Redeveloping the nanomaterial consumer products
935 inventory. *Beilstein J Nanotechnol*. 6(1):1769–1780. doi:10.3762/bjnano.6.181.
- 936 Wang J, Zhang X, Chen Y, Sommerfeld M, Hu Q. 2008. Toxicity assessment of
937 manufactured nanomaterials using the unicellular green alga *Chlamydomonas reinhardtii*.
938 *Chemosphere*. 73(7):1121–1128. doi:10.1016/j.chemosphere.2008.07.040.
- 939 Wang S, Lv J, Ma J, Zhang S. 2016. Cellular internalization and intracellular
940 biotransformation of silver nanoparticles in *Chlamydomonas reinhardtii*. *Nanotoxicology*.
941 5390(December):1–7. doi:10.1080/17435390.2016.1179809.
- 942 Xia B, Chen B, Sun X, Qu K, Ma F, Du M. 2015. Interaction of TiO₂ nanoparticles with the
943 marine microalga *Nitzschia closterium*: Growth inhibition, oxidative stress and
944 internalization. *Sci Total Environ*. 508:525–533. doi:10.1016/j.scitotenv.2014.11.066.
- 945 Yue Y, Li X, Sigg L, Suter MJF, Pillai S, Behra R, Schirmer K. 2017. Interaction of silver
946 nanoparticles with algae and fish cells: A side by side comparison. *J Nanobiotechnology*.
947 15(1):1–11. doi:10.1186/s12951-017-0254-9.
- 948 Yung MMN, Fougères P-A, Leung YH, Liu F, Djurišić AB, Giesy JP, Leung KMY. 2017.
949 Physicochemical characteristics and toxicity of surface-modified zinc oxide nanoparticles to
950 freshwater and marine microalgae. *Sci Rep*. 7(1):15909. doi:10.1038/s41598-017-15988-0.
- 951 Zhang C, Hu Z, Deng B. 2015. Silver nanoparticles in aquatic environments: Physicochemical
952 behavior and antimicrobial mechanisms. *Water Res*. 88:403–427.
953 doi:10.1016/j.watres.2015.10.025.
- 954 Zhang C, Wang J, Tan L, Chen X. 2016. Toxic effects of microplastic on marine microalgae
955 *Skeletonema costatum*: Interactions between microplastic and algae. *Aquat Toxicol*. 178:158–
956 164. doi:10.1016/j.aquatox.2016.07.020.
- 957 Zhang L, Goswami N, Xie J, Zhang B, He Y. 2017. Unraveling the molecular mechanism of
958 photosynthetic toxicity of highly fluorescent silver nanoclusters to *Scenedesmus obliquus*. *Sci*
959 *Rep*. 7(1):16432. doi:10.1038/s41598-017-16634-5.
- 960 Zhang X, Zhang T, Manzoor R. 2017. Toxicity of Silver Nanoparticles to Marine Microalgae
961 *Chlorella Vulgaris*. (*Icepeee*):433–437.
- 962

Table 1: Synthesis of metallic NP characteristics (type, surfactant, charge, primary size (diameter, aggregation (size instability of NPs) and microalgae exposed to NPs (environment, species and cell-wall presence/absence): n.a.: not indicated

	Nanoparticles					Microalgae				
Authors	Type	Surfactant	Charge (mV)	Primary size (nm)	Aggregation	Environment	Species	Cell-wall		
Renault et al. 2008	Au	amine	n.a.	10	yes	Freshwater	<i>Scenedesmus suspicatus</i>	yes		
Iswarya et al. 2016		citrate		16	no					
				27						
				37	yes					
		PVP		16						
				27						
37										
Eroglu et al. 2013		Pt		no	-25.5		30 by 14		n.a.	<i>Chlorella vulgaris</i>
Ksiazzyk et al. 2015							51		yes	<i>Pseudokirchneriella subcapitata</i>
							34			
Simon et al. 2013	polyacrylate		20			no	<i>Chlamydomonas reinhardtii</i>			
Eroglu et al. 2013	Ag	n.a.	n.a.	10	n.a.	<i>Chlorella vulgaris</i>				
Kustov and Abramenko 2016		SDS		10 to 12	n.a.	<i>Chlorella vulgaris</i>				
Leclerc and Wilkinson 2014		polyacrylate		5	no	<i>Chlamydomonas reinhardtii</i>				
Barwal et al. 2011		no		5;15						
				5;35						

Navarro et al. 2008b	carbonate	-36	25	yes						
		-36	40							
Navarro et al. 2015	chitosan	-5.1	25	no						
	citrate	-29	17							
	dexpantenol	-3.8	456	yes						
	gelatine	-6.8	52	no						
	lactate	-3.5	350	yes						
	sodium dodecyl benzenesulfonate	-29	45	no						
	polyethylene glycol (PEG)	-5.5	70							
	polvinylpolypyrrolidone (PVP)	-6.3	84	yes						
Wang et al. 2016	polvinylpolypyrrolidone (PVP)	-21	7.5-16.5	n.a.						
Miao et al. 2010	carbonate	n.a.	<10	yes					<i>Ochromonas danica</i>	
Zhang L. et al. 2017	fluorescent	-15.5	2	no					<i>Scenedesmus obliquus</i>	
Yue et al. 2017	citrate	-25	19.4	yes					<i>Euglena gracilis</i>	
Sendra et al. 2017a	no	-5.6	16.7		Brackish water	<i>Dunaliella salina</i>	no			
Burchardt et al. 2012		-38	20		Sea water	<i>Thalassiosira pseudonana</i>	frustule			
	-49	40								
	-48	100								
Miao et al. 2009	carbonate	n.a.	60-70		<i>Thalassiosira weissflogii</i>					

Lodeiro et al. 2017		Tween 20 and Polyethylene Glycerol Trioleate	-4	48		<i>Chaetoceros curvisetus</i>	
Zhang X. et al. 2017		n.a.	n.a.	45		<i>Chlorella vulgaris</i>	yes
Chen et al. 2018	Co	no	-13.8	30		<i>Platymonas subcordiforus</i>	yes
						<i>Chaetoceros curvisetus</i>	frustule
						<i>Skeletonema costatum</i>	

Table 2: Synthesis of oxide metallic nanoparticle characteristics (type, surfactant, charge, primary size (diameter, aggregation (size instability of nanoparticles) and microalgae exposed to nanoparticles (environment, species): n.a.: not indicated

Authors	Nanoparticles				Microalgae								
	Type	Surfactant	Charge (mV)	Primary size (nm)	Aggregation	Environment	Specie	Cell-wall					
Cheloni et al. 2016	CuO	no	-25	30-50	yes	Freshwater	<i>Chlamydomonas reinhardtii</i>	yes					
von Moos et al. 2015		poly(styrene-co-butyl acrylate)	-20	30-50									
Perreault et al. 2012			-51	30-40									
Saison et al. 2010			PS	n.a.				80	no				
Melegari et al. 2013		TiO ₂	no	-35				30-40	yes	Freshwater	<i>Chlamydomonas reinhardtii</i>	yes	
Kulacki and Cardinale 2012	n.a.			27									
Chen et al. 2017	n.a.			20-30									
Wang et al. 2008	n.a.			21									
Hartmann et al. 2010	-23			10									
	-21			30									
	-25			300									
Dauda et al. 2017	n.a.			<25	n.a.	no	Freshwater	<i>Chlamydomonas reinhardtii</i>					yes
Simon et al. 2013	-24			5									
Lee and An 2013	-13.3			21									
Miller et al. 2010	n.a.			15-20	yes	Sea water	<i>Thalassiosira pseudonana</i>	frustule					
	n.a.			15-20									
Xia et al. 2015	-13.2			21	yes	Sea water	<i>Nitzschia closterium</i>	frustule					
	-8.1	60											
	-6.4	400											
Hu et al. 2017	-19	5	no	Freshwater	<i>Chlamydomonas reinhardtii</i>	yes							
Taylor et al. 2016	PVP	n.a.					4-5						
Pulido-Reyes et al. 2015	58% Ce ³⁺	-12.2					5	yes	Freshwater	<i>Pseudokirchneriella subcapitata</i>			
	28% Ce ³⁺	-25.6	7										

		40% Ce ³⁺	-21.2	18						
		26% Ce ³⁺	-24.4	50						
		36% Ce ³⁺	-21.1	350 on 20						
Manier et al. 2011		no	20	25						
Manier et al. 2013		citrate triammonium, non- aged	-21	10						
		citrate triammonium, aged 3days	n.a.							
		citrate triammonium, aged 30 days	n.a.							
Sendra et al. 2017b		no	23.6	26			<i>Chlorella autotrophica</i>			
Röhder et al. 2014		no	0	140			<i>Chlamydomonas reinhardtii</i>	no		
			0	140				yes		
Sendra et al. 2017a				4	26		Sea water	<i>Phaeodactylum tricornutum</i>		
				-22	9					
				3.2	26					<i>Namnochloris atomus</i>
				3.2	26					
				-10	9					
		-10	9							
Simon et al. 2013	ZnO	no	2.7	20	no	Freshwater	<i>Chlamydomonas reinhardtii</i>	yes		
Lee and An 2013				-23.3	<100				yes	<i>Pseudokirchneriella subcapitata</i>
Yung et al. 2017					n.a.		23			
			3-aminopropyltriethoxysilane	-	24					
			dodecyltrichlorosilane		23					
			no	n.a.	23					<i>Chlorella pyrenoidosa</i>
		3-aminopropyltriethoxysilane	-	24						
		dodecyltrichlorosilane		23						

		lane						
		no	n.a.	23				
		3-aminopropyltrimethoxysilane	-	24				<i>Pseudokirchneriella subcapitata</i>
		dodecyltrichlorosilane		23				
		no	n.a.	23				
		3-aminopropyltrimethoxysilane	-	24				<i>Thalassiosira pseudonana</i>
				23				frustule
Schiavo et al. 2016			-10	100				<i>Dunaliella tertiolecta</i>
Suman et al. 2015				40-48	n.a.			<i>Chlorella vulgaris</i>
Miller et al. 2010				20-30				<i>Thalassiosira pseudonana</i>
				20-30				frustule
Schiavo et al. 2017				<100				<i>Dunaliella tertiolecta</i>
				6.3-15.7				yes
				242-862	yes			<i>Thalassiosira pseudonana</i>
Peng et al. 2011				6.3-15.7				<i>Chaetoceros gracilis</i>
				242-862				frustule
				6.3-15.7				<i>Phaeodactylum tricornutum</i>
				242-862				
Balusamy et al. 2015	La ₂ O ₃		14	60	no			<i>Chlorella</i> sp.
Oukarroum et al. 2017		no		30				
Gong et al. 2011	NiO		n.a.	20	yes			<i>Chlorella vulgaris</i>
He et al. 2017	Fe ₂ O ₃			<30				<i>Scenedesmus obliquus</i>
	MgO	n.a.		<50	n.a.			
Pakrashi et al. 2013	Al ₂ O ₃	no	12	82				<i>Chlorella ellipsoidea</i>
			17	247	yes			

966 Table 3: Synthesis of plastic, silica and Quantum Dot (QD)nanoparticles characteristic (type, surfactant, charge, primary size (diameter, aggregation
 967 (size instability of nanoparticles) and microalgae exposed to nanoparticles (environment, species and cell-wall presence/absence): n.a: not indicated

Authors	Nanoparticles				Microalgae			
	Type	Surfactant	Charge (mV)	Primary size (nm)	Aggregation	Environment	Specie	Cell-wall
Bhattacharya et al. 2010	PS	COOH	-40	20	yes	Freshwater	<i>Scenesdesmus</i>	yes
		NH ₂	106					
		COOH	-40					
		NH ₂	106					
Besseling et al. 2014		SDS	n.a.	70	n.a.		<i>Scenesdesmus obliquus</i>	
Nolte et al. 2016		COOH	-54	110	yes		<i>Pseudokirchneriella subcapitata</i>	
		NH ₂	106	20		<i>Chlorella vulgaris</i>		
Sjollema et al. 2016		COOH	n.a.	500	n.a.	Sea water	<i>Thalassiosira pseudonana</i>	
		no		50		Brackish water	<i>Dunaliella tertiolecta</i>	
				500				
Bergami et al. 2017		COOH	-66	40	yes			
		NH ₂	53	50				
Li 2015	Fluorophore	-24	50	no	Freshwater	<i>Euglena gracilis</i>	no	
						<i>Haematococcus pluvialis</i>	yes	

Supplementary data

Table S1: Synthesis of metallic nanoparticles effect on microalgae (concentration of toxicity effect, endpoints tested: growth, shading, photosynthesis, oxidative stress, ion release, internalization); n.a.: not indicated

Authors	Nanoparticles		Microalgae	Toxicity effect			Endpoints: effects										
	Type	Surfactant	Specie	Yes/No	Effect concentration (mg/L)	Time (h)	Growth	Shading	Photosynthesis	Oxidative stress	Ions	Internalization	Others				
Renault et al. 2008	Au	amine	<i>Scenedesmus suspicatus</i>	yes	$1,59 \times 10^{-6}$	24	yes	n.a.	n.a.	n.a.	n.a.	yes	adsorption				
Iswarya et al. 2016		citrate	<i>Chlamydomonas reinhardtii</i>		0.01	72						n.a.		n.a.	n.a.	n.a.	n.a.
		PVP			n.a.	n.a.											
Eroglu et al. 2013		Ag	no	<i>Chlorella vulgaris</i>	no	n.a.	n.a.		n.a.	yes	n.a.	n.a.	n.a.	carotenoid production			
Ksiazyc et al. 2015				<i>Pseudokirchneriella subcapitata</i>	yes	22.2	72		yes	n.a.				drop of chlorophyll			
						5			drop of chlorophyll								
Simon et al. 2013			polyacrylate	<i>Chlamydomonas reinhardtii</i>	yes	1	2		n.a.	yes	yes	no	yes	gene overexpressed			
Eroglu et al. 2013			n.a.	<i>Chlorella vulgaris</i>		no	n.a.		n.a.	yes	n.a.	n.a.	carotenoid production				
Kustov and Abramenko 2016			SDS	<i>Chlorella vulgaris</i>		0.067	22		yes	yes	n.a.	yes	n.a.	n.a.			
Leclerc and Wilkinson 2014	polyacrylate		<i>Chlamydomonas reinhardtii</i>	yes	0.01	2	n.a.	n.a.	n.a.	n.a.	n.a.	yes	gene overexpressed				
Barwal et al. 2011	No				n.a.	n.a.							n.a.	n.a.	n.a.		
Navarro et al. 2008b	carbonate				7.75	5							n.a.				
Navarro et		2.72			1	yes							n.a.				

al. 2015	chitosan			3.03									
	citrate			4.91									
	dexpanthenol			0.26									
	gelatine			4.41									
	lactate			1.89									
	sodium dodecyl benzenesulfonate			3.51									
	polyethylene glycol (PEG)			1.19									
	polvinylpolypyrrolidone (PVP)			0.74									
Wang et al. 2016	polvinylpolypyrrolidone (PVP)			2	48			n.a.				yes	
Miao et al. 2010	carbonate	<i>Ochromonas danica</i>		0.14		yes						n.a.	
Zhang L. et al. 2017	fluorescent	<i>Scenedesmus obliquus</i>		0.03	96	n.a.						yes	transcriptomic study
Yue et al. 2017	citrate	<i>Euglena gracilis</i>		0.16	1	n.a.		yes	yes				enzymatic activity inhibition
Sendra et al. 2017b	no		<i>Dunaliella salina</i>	5									
Burchardt et al. 2012	no		<i>Thalassiosira pseudonana</i>	0.01	72	yes		n.a.	n.a.				n.a.
				0.02									
Miao et al. 2009	carbonate	<i>Thalassiosira weissflogii</i>	no	0.4		no		no					EPS production
Lodeiro et al. 2017	Tween20 et Polyethylene Glycerol Trioleate		<i>Chaetoceros curvisetus</i>	0.041	48	yes		yes	no	no			
Zhang X. et al. 2017	n.a.		<i>Chlorella vulgaris</i>	1				no	yes	yes		yes	n.a.
Chen et al. 2018	Co	no		<i>Platymonas subcordiforus</i>	yes	67.2	96	yes	n.a.			no	Adsorption
				<i>Chaetoceros curvisetus</i>	38.6								
				<i>Skeletonema costatum</i>	21.5	yes							

Table S2: Synthesis of oxide metallic nanoparticle effect on microalgae (concentration of toxicity effect, endpoints tested: growth, shading, photosynthesis, oxidative stress, ions releasing, internalization); n.a.: not indicated

Nanoparticles		Microalgae	Toxicity effect			Endpoints: effects										
Authors	Type	Surfactant	Specie	Yes/No	Effect concentration (mg/L)	Time (h)	Growth	Shading	Photosynthesis	Oxidative stress	Ions	Internalization	Others			
Cheloni et al. 2016	CuO	no	<i>Chlamydomonas reinhardtii</i>	yes	0.8	4	no	yes	n.a.	no	yes	n.a.	n.a.			
von Moos et al. 2015					10	5					no	membrane permeability				
Perreault et al. 2012		poly(styrene-co-butyl acrylate)			4	6	n.a.		yes	yes	n.a.	yes	n.a.			
Saison et al. 2010		PS			20	6		n.a.			n.a.					
Melegari et al. 2013					150	72	yes			yes	yes	yes	carotenoid levels decrease			
Kulacki and Cardinale 2012	TiO ₂	no	<i>Scenedesmus quadricauda</i>	yes	n.a.	n.a.			n.a.	n.a.	no	no	n.a.			
Chen et al. 2017			<i>Chlamydomonas reinhardtii</i>		130	3	n.a.	yes								
Wang et al. 2008					10	72	yes	n.a.	no				n.a.	gene overexpressed		
Hartmann et al. 2010			<i>Pseudokirchneriella subcapitata</i>		241											
					71.1											
					145											
Dauda et al. 2017			<i>Chlorella vulgaris</i>		0.1	96							n.a.			
Simon et al. 2013			<i>Chlamydomonas reinhardtii</i>		1	2	n.a.	yes	yes	no	no	yes	gene underexpressed			
Lee and An 2013			<i>Pseudokirchneriella subcapitata</i>		2.5	72	yes	no		yes	n.a.					
Miller et al. 2010			<i>Thalassiosira pseudonana</i>		no	<i>Dunaliella tertiolecta</i>	no	> 1	96	no	n.a.	n.a.	no	n.a.	n.a.	n.a.
Xia et al. 2015	<i>Nitzschia closterium</i>	yes		yes						yes	yes	yes	membrane damage			
Hu et al.			<i>Isochrysis</i>		20			no	no	n.a.		n.a.	n.a.			

2017		<i>galbana</i>											
Taylor et al. 2016		PVP	<i>Chlamydomonas reinhardtii</i>		80	72	no			yes	yes	gene overexpressed	
Pulido-Reyes et al. 2015	CeO ₂	58% Ce ³⁺	<i>Pseudokirchneriella subcapitata</i>	no	1		yes	n.a.	n.a.	n.a.	n.a.	adsorption	
		28% Ce ³⁺			50		no						
		40% Ce ³⁺			5		yes						
		26% Ce ³⁺											
		36% Ce ³⁺											
Manier et al. 2011		no	<i>Pseudokirchneriella subcapitata</i>		11.5					n.a.	n.a.		
Manier et al. 2013	CeO ₂	citrate triammonium, non aged	<i>Pseudokirchneriella subcapitata</i>	yes	5.6		yes	n.a.	n.a.	n.a.	n.a.	adsorption	
		citrate triammonium, aged 3days			4.1								
		citrate triammonium, aged 30 days			6.2								
Sendra et al. 2017b			<i>Chlorella autotrophica</i>	yes	1			no	no	yes		change in cell complexity	
Röhder et al. 2014			<i>Chlamydomonas reinhardtii</i>		4.36	2	n.a.					adsorption	
		3.66											
Sendra et al. 2017a	no		<i>Chlamydomonas reinhardtii</i>	yes	100	72	yes	n.a.	yes	n.a.	n.a.	yes	cell membrane damage
					200		no						
					10		yes					yes	cell membrane damage
			200	no	no	no	no					no	n.a.
			<i>Namnochloris atomus</i>	no									
		<i>Chlamydomonas reinhardtii</i>	yes	1	2	n.a.	yes	yes	yes	no	yes	gene overexpressed	
Lee and An 2013	ZnO		<i>Pseudokirchneriella subcapitata</i>	yes	<0.05	72		n.a.	yes	yes		membrane destabilization	
Yung et al. 2017		3-	<i>Chlamydomonas reinhardtii</i>		<10	96	yes	n.a.	yes	n.a.	n.a.	n.a.	
					10								

et al. 2017			<i>vulgaris</i>									
Gong et al. 2011				32.28	72		yes	n.a.	n.a.			
He et al. 2017	Fe ₂ O ₃	n.a.	<i>Scenedesmus obliquus</i>	40	96		n.a.	yes	yes	n.a.	n.a.	lipidic content and peroxydase activity increase
	MgO			0.8	72							
Pakrashi et al. 2013	Al ₂ O ₃	no	<i>Chlorella ellipsoidea</i>	0.001				n.a.	no	yes		

972 Table S3: Synthesis of plastic, silica and Quantum Dot (QD) nanoparticle effect on microalgae (concentration of toxicity effect, endpoints tested:
973 growth, shading, photosynthesis, oxidative stress, internalization); n.a.: not indicated

Authors	Nanoparticles		Microalgae	Toxicity effect			Endpoints: effects					
	Type	Surfactant	Specie	Yes/No	Effect concentration (mg/L)	Time (h)	Growth	Shading	Photosynthesis	Oxidative stress	Internalization	Others
Bhattacharya et al. 2010	PS	COOH	<i>Scenedesmus</i>	yes	6.5	2	n.a.	maybe	yes	no	no	n.a.
		NH ₂								yes		
		COOH	<i>Chlorella</i>							no		
		NH ₂								yes		
Besseling et al. 2014		SDS	<i>Scenedesmus obliquus</i>	yes	1000		yes		yes			
Nolte et al. 2016		COOH	<i>Pseudokirchneriella subcapitata</i>	no			no	n.a.	n.a.			
		NH ₂		yes	40	yes		n.a.				
Sjollema et al. 2016		COOH	<i>Chlorella vulgaris</i>	yes	250	72	no	yes	no	n.a.	no	no
	<i>Thalassiosira pseudonana</i>											
	no	<i>Dunaliella tertiolecta</i>	yes									

				251								
Bergami et al. 2017		COOH	no	50		no	n.a.	n.a.	no	n.a.		
		NH ₂	yes	12.97		yes			yes			
Li 2015		fluorophore	<i>Euglena gracilis</i>	yes	1000	2	n.a.	n.a.	n.a.	no	Morphologic changes	
	<i>Haematococcus pluvialis</i>		no	Flagella covered by particles								
	<i>Chlamydomonas reinhardtii wild type</i>		no	EPS excretion								
	<i>Chlamydomonas reinhardtii mutant</i>			EPS excretion								
Casado et al. 2013		Polyethyleneimine	<i>Pseudokirchneriella subcapitata</i>	yes	0.58 (55nm) 0.54 (110nm)	72	yes			n.a.		
Fujiwara et al. 2008	Si	no	<i>Chlorella kessleri</i>	yes	800(0.8% <i>m/v</i>)	96	yes	n.a.	yes	n.a.	yes	n.a.
					7100(7.1% <i>m/v</i>)							
					9100 (9.1% <i>m/v</i>)						no	
Van Hoecke et al. 2008			<i>Pseudokirchneriella subcapitata</i>		20	72	yes	n.a.	n.a.			
					28.8							
Wang et al. 2008	QD		<i>Chlamydomonas reinhardtii</i>		5				no	yes	n.a.	Gene overexpressed